



Sportsmagasin

Congensgade 87 - ESBJERG - Telefon (051) 2 20



Anglers Catalogue 1970 game, coarse and sea fishing

Trout Fly Rods

Recommended Rods, Reels and Lines

The Phantom Fly Rod

The Marvel Fly Rod—as selected for the Design Centre, London

The JJH Triumph Fly Rod

No. 1

Action

Super-light, strong, accurate dry-fly action.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Shaped solid cork.

Joints

Nickel silver—reinforced splint end suction, with polished aluminium stopper.

Rings

Agatipe butt, stainless steel American-type end with stainless steel snake intermediates.

Tyings

Nylon. Black, tipped with scarlet. No intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

No. 2

Action

One of the lightest practical all round cane built fly fishing rods in the world.

Pieces

Three with two tops, 'Palakona' split bamboo.

Handle

Shaped solid cork, 7½".

Joints

Nickel silver reinforced splint end suction, with polished aluminium stopper.

Rings

Agatipe butt, stainless steel American-type end with stainless steel snake intermediates.

Tyings

Nylon. Green tipped with orange. No intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

No. 3

Action

A superb rod for long and accurate dry-fly casting, this pattern combines great power with lightness and perfect balance. Also recommended for reservoir fishing when fishing from a boat.

Piece

Two with one top. 'Palakona' split bamboo

Handle

Shaped solid cork with mushroom thumb grip.

Joints

Nickel silver reinforced splint end suction, with polished aluminium stopper.

Rings

Agatipe butt and end ring with stainless steel snake intermediates.

Tyings

Nylon. Crimson tipped with red. No intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

Length	Handle	Weight (approx.)
6' (180 cm) 6' 10" (210 cm) 8' (245 cm) 8½' (260 cm) 9' (275 cm)	8 ³ / ₄ " 9 ¹ / ₂ " 10" 10"	2 oz (60 gr) 2 ³ / ₄ oz (80 gr) 3 ¹ / ₂ oz (105 gr) 4 ¹ / ₄ oz (135 gr) 4 ³ / ₄ oz (140 gr)
A.F.T.M. Line	Recomn	nended Reels
#5 #5 #5 #6	#5 Marq L.R.H. LW	/T.

130 Viscount

Length	Weight (approx.)
7½' (230 cm)	2 <u>3</u> oz (80 gr)
A.F.T.M. Line	Recommended Reels

Length	Handle	Weight (approx.)
8′ 9″ (270 cm)	10≟″	5∯ oz. (160 gr)
A.F.T.M. Line	Recomm	ended Reels
# 6	{ #6 Mai 130 Vise	

The Perfection Fly Rod

The Koh-I-Noor Fly Rod

The WF Hardy Fly Rod—as selected for the Design Centre, London

No. 4

Action

A famous medium actioned rod and very popular for general, all-round fly fishing, wet or dry.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand.

Joints

Nickel silver reinforced splint end suction, with polished aluminium stopper.

Rings

Agatipe butt and end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tvings

Nylon. Ruby, tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing, screw-in rubber button.

Container

Showerproof cloth partition bag.

No. 5

Action

Originally designed for tournament casting this design has been modified to provide a strong, light, stiff actioned dry fly rod. Suitable for big trout.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Shaped solid cork with mushroom thumb grip.

Joints

Nickel silver reinforced splint end suction, with polished aluminium stopper.

Rings

'Sintox' butt and end ring with stainless steel snake intermediates.

Tyings

Nylon. Ruby. No Contrast tippings or intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

No. 6

Action

A most practical, carefully balanced, three piece design. Medium action to fish either dry or wet fly with great precision and delicacy.

Pieces

Three with two tops, 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand.

Joints

Nickel silver reinforced splint end suction, with polished aluminium stoppers.

Rings

Agatipe butt, stainless steel American-type end. $7\frac{1}{2}$ and 8' models fitted with stainless snake intermediates, $8\frac{1}{2}$ and 9' fitted with special hard chrome 'Fullopen' graduated Bridge intermediates.

Tyings

Nylon. Ruby, tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing. $8\frac{1}{2}$ ' and 9' models supplied with screw-in rubber button.

Container

Length	Handle	Weight (approx.)
8' (245 cm) $8\frac{1}{2}'$ (260 cm) 9' (275 cm) $9\frac{1}{2}'$ (290 cm)	10" " "	$4\frac{3}{4}$ oz (140 gr) $5\frac{1}{4}$ oz (160 gr) $5\frac{3}{4}$ oz (170 gr) $6\frac{1}{4}$ oz (190 gr)
A.F.T.M.	Recomn	nended Reels
Line		ionded moois

Length	Handle	Weight (approx.)
8′ 9″ (270 cm)	10″	5½ oz (165 gr)
A.F.T.M.	Recomm	nended Reels
Line	necomm	ichaca meers

Length	Handle	Weight (approx.)
7½' (230 cm) 8' (245 cm) 8½' (260 cm) 9' (275 cm)	9½" 9½" 10" 10"	$4\frac{1}{4}$ oz (135 gr) $4\frac{3}{4}$ oz (140 gr) $5\frac{1}{2}$ oz (165 gr) 6 oz (180 gr)
		NAME OF TAXABLE PARTY.
A.F.T.M. Line	Recomm	ended Reels

Recommended Rods, Reels and Lines

The Continental Special

The 'Riccardi' Fly Rod

The 'Riccardi' Fibalite Fly Rod

No. 7

Action

Designed as the result of many requests from our customers on the continent for a rod to meet their particular requirements. The action is super light and gives great accuracy for wet. and dry fly fishing for trout and grayling. Designed on the staggered ferrule principle of long top and shorter butt which gives the rods an entirely special action.

Pieces

Two, with one top. 'Palakona' Split Bamboo.

Handle

Solid cork, shaped to hand.

Joints

Nickel silver lightly reinforced splint end suction. The rod is supplied with an extended split bamboo stopper which also protects the fine part of the top when the rod is not in use.

Rings

Agatipe butt, stainless steel American-type end with stainless steel snake intermediates.

Tyings

Nylon. 6' 8" green tipped with ruby. Nylon. 7' 7½" crimson tipped with black. Nylon. 8' 4" black tipped with green. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip with cork covered housing and fixed button.

Container

Showerproof cloth partition bag.

No. 8

Action

This rod has been specially developed for the Italian market after considerable requests. Built on the staggered Ferrule principle—it develops considerable power for its weight. A delicate dry fly rod for precision casting.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Shaped solid cork.

Joints

Nickel silver reinforced splint end suction. Supplied with extended cane built stopper.

Rings

Hard chrome butt with stainless steel American-type end ring and stainless steel snake intermediates.

Tvings

Nylon. Gold tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

No. 9

Action

Compares very favourably with its built cane counterpart. Built on the staggered Ferrule principle—developing great strength for its weight. A beautiful dry fly rod for accurate casting.

Pieces

Two with one top 'Fibalite' hollow glass fibre.

Handle

Shaped solid cork.

Joints

Incorporating our internal fitting 'Spigot' fibreglass ferrule.

Rings

Hard chrome butt with stainless steel American-type end ring and stainless steel snake intermediates.

Tyings

Nylon. Yellow tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Length	Handle	Weight (approx.)
6'8" (203 cm) 7'7½" (232 cm) 8'4" (254 cm)	10"	3 oz (90 gr) 4 oz (120 gr) 4 ³ / ₄ oz (140 gr)
A.F.T.M. Line	Récomm	ended Reels
#5 #5 #6	+ #5 Marqı #6 Marqı	

Length	Handle	Weight (approx.)
7′ (215 cm)	83,"	2≩ oz (68 gr)
A.F.T.M.	Recomme	adad Basis
Line	Hecomine	naea neels

Length	Handle	Weight (approx.)
7′ (215 cm)	83,"	3½ oz (105 gr)
A.F.T.M. Line	Recomme	nded Reels
# 6	{#6 Marqı 130 Visco	uis unt

The Smuggler Fly Rod

No. 10

Action

This delightful little rod suitable for general fly fishing, wet or dry has been specially designed for anglers who require a medium strength fly rod and yet for convenience of travelling on foot, breaks down into sections of 26 in.

The truly amazing one-piece action is achieved in spite of the four sections through the elimination of metal joints—making it the most compact yet practical all-round fly fishing rod in the world.

Made in two strengths to suit #6 and #8 weight fly lines.

Pieces

Four with one top. 'Fibalite' hollow glass fibre.

Handle

Shaped solid cork.

Joints

Incorporating our internal fitting 'Spigot' fibreglass ferrules.

Rings

Hard chrome butt, stainless steel end with snake intermediates.

Tyings

Nylon. Orange tipped with Black.

Reel Fittings and Furnishings

Housed butt cap and sliding ring.

Container

Showerproof cloth partition bag.

The LRH Dry Fly Rod

No. 11

Action

A superb design of great power and responsive action, capable of casting great distances either across or against the wind and delivering the fly true to aim with facility and ease.

Pieces

Three with two tops. 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand.

Joints

Nickel silver reinforced splint end suction, with polished aluminium stopper.

Rings

Agatipe butt and end ring with stainless steel snake intermediates.

Tyings

Nylon. Green tipped with ruby. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing with special reversible spear and button.

Container

Length 8' (245 cm)	Handle Weight (approx.) 10" {#6 rod-3 oz (85 gr) #8 rod-3½ oz (105gr)
A.F.T.M.	Recommended Reels
Line	11000111110110110110
Line #6	∫#6 Marquis

Length 8'9" (270 cm)	Handle 10"	Weight (approx.) 5≩oz (170 gr)
A.F.T.M. Line	Recomme	ended Reels
#6	{#6 Marc	

Loch & Reservoir Rods



The Halford Knockabout Fly Rod

The Richard Walker Reservoir Fly Rod

The 'Esk' Fly Rod

No. 12

Action

A most practical strong two piece design. Suitable for sea trout and big trout. Has proved very popular for long casting in lake and reservoir.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand with mushroom top.

Joints

Nickel silver, 'Spiral Lockfast' splint end.

Rings

Agatipe butt and end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tyings

Nylon. Gold, tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing, reversible spear and button.

Container

Showerproof cloth partition bag.

No. 13

Action

Supremely powerful yet amazingly light. Tested and approved by Richard Walker with great success at 'Grafham' reservoir. Accurate, effortless performance. Specially designed for distance casting on lakes and reservoirs.

Pieces

Two with one top. 'Fibalite' hollow glass fibre.

Handle

Shaped solid cork with mushroom thumb grip.

Joints

Incorporating our internal fitting 'Spigot' hollow glass ferrule.

Rings

'Sintox' stripper butt and end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tyings

Nylon. Green tipped with black.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing, screw-in rubber button.

Container

Showerproof cloth partition bag.

No. 14

Action

A powerful two piece design, introduced to meet the demand for a lightweight rod of 10' in length, especially suitable for the catching of sea-trout, large trout and grilse, etc.

Pieces

Two with one top. 'Fibalite' hollow glass fibre.

Handle

Solid cork, shaped to hand.

Joints

Incorporating our internal fitting 'Spigot' fibreglass ferrule.

Rings

'Sintox' butt and end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tyings

Nylon. Green tipped with scarlet.

Reel Fittings and Furnishings

Fixed screw-grip and cork covered housing, screw-in rubber button.

Container

Length	Handle	Weight (approx.)
9½' (290 cm)	12″	7½ oz (225 gr)
A.F.T.M. Line	Recomm	ended Reels
	Recomm	larquis

Length 9'3" (280 cm)	Handle	Weight (approx.) 4 oz (120 gr)	
	Recommended Reels		
A.F.T.M. Line	Recomm	ended Reels	
	Recomm #6 Ma		

Length 10' (305 cm)	Handle	Weight (approx.) 53 oz (153 gr)
A.F.T.M. Line	Recommended Reels	
# 7	∫#8/9 Marquis ∖St. Aidan	

Salmon Fly Rods

The Pope Fly Rod

The Jet Salmon Set

The Salmon De Luxe Fly Rod—as selected for the Design Centre, London

No. 15

Action

A most popular strong two piece design of elegant appearance, suitable for sea-trout, heavy trout and grilse, etc.

Pieces

Two with one top. 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand with mushroom top.

Joints

Nickel silver splint end 'Spiral Lockfast'.

Rings

Agatipe butt and end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tyings

Nylon. Gold tipped with ruby. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing, reversible spear and button.

Container

Showerproof cloth partition bag.

No. 16

Action

Made in three lengths to suit all conditions. The $12\frac{1}{2}$ rod is an excellent all-round salmon fly rod for general purposes.

The 14' 3" and 15' 5" rods are designed for casting the biggest salmon flies and for playing a salmon in strong water.

Since their introduction last season, these rods have proved extremely popular with salmon fly fishermen of note.

Pieces

Three with one top. 'Fibalite' hollow glass fibre.

Handle

Solid cork, shaped with mushroom top.

Joints

Best quality bronzed brass suction.

Rings

Large butt and Agatipe end ring with special hard chrome 'Fullopen' graduated bridge intermediates.

Tyings

Nylon. Green, tipped with scarlet.

Reel Fittings and Furnishings

 $12\frac{1}{2}{'}$ and $14{'}$ 3" patterns fitted with sliding screw-grip and fixed cork covered housing. L.R.H. butt cap with rubber button. 15' 5" pattern fitted with fixed aluminium 'W' fitting and sliding ring, polished dome-type butt cap.

Container

Showerproof cloth partition bag.

No. 17

Action

A strong extremely light rod. It is perfectly suited for single-handed salmon fly fishing, wet or dry fly, and is also suitable for any large fish such as grilse, sea-trout, etc.

Pieces

Three with two tops. 'Palakona' split bamboo.

Handle

Solid cork, shaped to hand. Supplied with 4" screw-in extension handle.

Joints

Nickel silver reinforced splint end suction.

Rings

Agatipe butt, stainless steel American-type end with stainless steel snake intermediates:

Tyings

Nylon. Scarlet, tipped with black. No intermediate tyings.

Reel Fittings and Furnishings

Fixed screw grip and cork covered housing, screw-in rubber button.

Container

Showerproof cloth partition bag with extra partition for extension handle.

Length 10' (305 cm)	Handle	Weight (approx.) 8 oz (240 gr)
A.F.T.M. Line	Recommended Reels	
#7 ∘	{8/9 Marquis {St. Aidan	

Length	Handle	Weight (approx.)
12½′ (380 cm) 14′ 3″ (435 cm) 15′ 5″ (470 cm)	25″ 29″ 31″	163 oz (474 gr) 21½ oz (609 gr) 29 oz (822 gr)
THE RESERVE OF THE PARTY OF THE		
A.F.T.M. Line	Recomn	nended Reels

Length	Handle	Weight (approx.)
9′ 6″ (290 cm)	12″	63 oz (205 gr
A.F.T.M. Line	Recomm	ended Reels
#7	{#8/9 № St. Aida	
Lengths and weights shown do not include additional 4" extension handle.		

pinning Rods

— FOR TROUT, SALMON AND PIKE FISHING



The 'Hardy-Wanless' Spinning Rod

The No. 1 'Fibalite' Spinning Rod

The No. 2 'Fibalite' Spinning Rod

No. 18

Action

Re-introduced last year by popular request, this series of light spinning rods were originally developed with the assistance of the late Alex. Wanless and are a revelation of power combined with lightness.

The rods are graded and called by the breaking strains of their lines, i.e., the 4 lb 'Hardy-Wanless' rod, etc.

Two with one top. 'Palakona' split bamboo.

Handle

Solid cork, parallel with mushroom top.

Jointe

Nickel silver, reinforced splint end suction with polished aluminium stopper.

Large stand-off butt, 'Agatipe' end ring with graduated stand-off bridge intermediates.

Tyings

Nylon. Scarlet tipped with gold. No intermediate tyings. Copper wire on lower leg of butt ring.

Reel Fittings and Furnishings

Two adjustable polished aluminium rings, tapered butt cap and screw-in rubber button.

Showerproof cloth partition bag.

No. 19

Action

A series of extremely light, well-balanced single handed spinning rods. The special feature of these rods is that each grade is designed to suit the strength of line with which it is to be used.

Two piece. 'Fibalite' hollow glass fibre.

Handle

Parallel solid cork, with mushroom top.

Incorporating our internal fitting 'Spigot' fibreglass ferrule.

Large stand-off butt, 'Sintox' end ring with graduated stand-off bridge intermediates.

Nylon. Green tipped with scarlet.

Reel Fittings and Furnishings

Two adjustable aluminium rings, tapered aluminium butt cap with rubber button. The 2 lb rod at 6' 11 is fitted with a shaped cork butt instead of butt cap and rubber button.

Container

Showerproof cloth partition bag.

No. 20

Action

A light, well-balanced rod with strength and superb casting power for light and medium spinning for salmon, sea-trout and pike, etc.

Pieces

Two piece 'Fibalite' hollow glass fibre.

Handle

Parallel solid cork.

Incorporating our internal fitting fibreglass 'Spigot' ferrule.

Rings

Large stand-off butt, 'Sintox' end ring with special hard chrome 'Fullopen' graduated intermediates.

Tyings

Nylon. Green tipped with scarlet.

Reel Fittings and Furnishings

Movable 'Autolock' screw grip, butt cap and rubber button.

Container

Showerproof cloth partition bag.

Length	Handle	Weight (approx.)
6′1½″ (187 cm) 6′10″ (210 cm) 6′10″ (210 cm)	8½" 14" 14"	3 oz (85 gr) 5¼ oz (150 gr) 5¾ oz (170 gr)
Recommended B.S. of Line		commended sting Weight
2 lb	4 d	rm

187 cm) 8½" 210 cm) 14" 210 cm) 14"		3 oz (85 gr) 5¼ oz (150 gr) 5¾ oz (170 gr)	
nmended f Line	Recommended Casting Weight		
4 drm 6 drm 8 drm			
Recommended Reels			
Mitchell 308 and 408			500

Length	Handle	Weight (approx.)	
6'1½" (187 cm) 7' (213 cm) 7' (213 cm)		2½ oz (64 gr) 4½ oz (120 gr) 4½ oz (128 gr)	
Recommended B.S. of Line			
2 lb 5/6 lb 7/8 lb			
Recommended Reels			
Mitchell 308 and 300			

Length 8½' (260 cm)	Handle	Weight (approx.) 8½ oz (241 gr)
Recommended Maximum Casting Weight		
1 oz (28 gr)		
Recommended Reels		
Mitchell 300 and 410		

6 lb





Loch & Reservoir Rods





