


RODS—Continued.

Superior Quality Split Bamboo Sea Bass or Trolling Rods.—Class 2A.

Having had an extensive demand for a really good and reliable Split Bamboo Rod of this style for a moderate price, we have manufactured and offer the following Rods :

All ferrules are of hard German Silver and very strong, but balance of Mountings are of Nickel, and the Rods are well finished, and make a strong, durable Rod.



No. 219.

CANE WOUND HANDLES.

Nos.		Each.
219.	2 Piece, 8 feet, about 16 ounces, Solid Reel Seat.....	\$8 00
	ALSO SAME ROD, HEAVIER.....	
220.	3 Piece, 8 feet, about 16 ounces, Solid Reel Seat.....	9 00
	ALSO SAME ROD, HEAVIER.....	

LANCEWOOD AND GREENHEART RODS.

Class 3.


In these Rods we offer a grade of Rods that we are convinced is unequaled at anything like the price. They are manufactured from well-seasoned material only, and are fitted with the most improved styles of Mountings. Particular attention is paid to the proper balancing of each Rod ; and they are of the most desirable patterns for the different styles of angling.

Fly Rods.




No. 0 1/2.

Nos.		Each.
0 1/2.	3 Piece Lancewood Fly Rod, Nickel Mountings, Solid Metal Reel Seat, Fancy Corrugated Wood Hand Grasps, 1 Tip, length, about 10 feet, in Bag.....	\$1 50



No. 10.

10.	Similar in style to No. 0 1/2, Extra Tip, in Grooved Wood Form.....	2 25
-----	---	------




No. A.

A	Lancewood. 3 Piece Fly Rod and Extra Tip, about 10 1/2 feet long, Nickel Mountings, Solid Metal Reel Seat, Rimmed Ferrules, Closely Wound, White Celluloid Handle, put up in Cloth Covered Grooved Wood Form..	3 50
A	Greenheart. Similar in style to A, with Handle of Black Celluloid.....	3 50
A 1/4	Lancewood. Similar in general style to "No. A Greenheart," but shorter and lighter weight, suitable for Light Brook Fishing.....	3 50

## RODS—Continued.

## The W. M. &amp; S. "Standard" Split Bamboo Rod.

While we admit that the Leonard Rod is, without doubt, the Best Rod in the world, we claim that, with this exception, our "STANDARD ROD" is without a rival. We use only the best material in its construction, and the Ferrules, etc., are all hand made of the highest quality of German Silver. These Rods are manufactured in our own factory, by our own staff of experienced workmen, under our personal supervision, and are marvels of good workmanship. The calibre and style of the Rods are PERFECT, and they are infinitely superior to anything in the market, exclusive of a "Leonard."




No. 110.

Nos.		Each.
110.	3 Piece Fly, with Solid German Silver Reel Plate and Extra Tip, lengths, 9 to 11 feet, weights, 6 to 10 ounces. . . . .	\$15 00
111.	3 Piece Black Bass Bait, "HENSHALL PATTERN," Solid German Silver Reel Plate and Extra Tip, lengths, 8½ to 9 feet . . . . .	15 00
112.	3 Piece Black Bass Bait, Solid German Silver Reel Plate, Extra Tip, lengths, 10 to 11 feet. . . . .	15 00
115.	Trunk Fly, lengths, 10 to 11 feet. . . . .	20 00
117.	Regular Combination Fly and Bait Rod, makes Bait Rod, 8 feet, Fly Rod, 10½ to 11 feet . . . . .	25 00

## Our Special "Standard" Rods.

2 JOINTS.



No. 121.

Nos.		Each.
120.	Salt Water Bass and Weakfish Rod, Double Guides, Reel Seat and Extra Tip. . . . .	\$18 00
121.	Light Lake Trolling or Black Bass Bait Rod, Double Guides, Reel Seat, Extra Tip, an exceptionally fine Rod for Light Weak Fishing, . . . . .	16 00

No. 121 is well suited for Light Striped Bass and Weak Fishing in vicinity of New York.

The strength and durability of the Ferrules on our "Standard" Rods, together with the great care used in their manufacture, make them a very desirable Rod, and anglers will do well to examine these Rods before making purchases elsewhere.

## The Durand Patent Weighing and Measuring Attachment for Application to the Butt Joint of Fishing Rods.

PATENT APPLIED FOR.



The above device consists of a light, specially made, accurate Sportsman's Balance, adjusted to and sliding in a metal tube permanently secured in butt of rod, and entirely concealed there by a neat hinged waterproof cap, when not in use. For measuring, the butt is divided by a straight line running its entire length, and accurately spaced off in half inch distances, and plainly marked at each inch. These attachments will be made and applied in an ornamental and substantial manner and will recommend themselves to those desiring to keep an accurate account of their catch.

Cost of applying to suitable rods. . . . . \$10 00 each

