

List "L."

J. Warner & Sons, Ltd.
Fishing Tackle
Catalogue.



TELEGRAPHIC ADDRESS:
"WARNER, REDDITCH."

ESTABLISHED 1830.

NATIONAL TELEPHONE:
No. 47 REDDITCH.

A.B.C. CODE 5TH EDITION.

WHOLESALE CATALOGUE AND PRICE LIST

("L")

of Fishing Rods, Reels, Lines, Flies,
Gut Casts, Artificial Baits, Hooks,
and General Fishing Tackle, &c.


SUITABLE FOR ALL THE MARKETS OF THE WORLD.

MANUFACTURED BY

J. W ARNER & SONS,

LIMITED,

REGISTERED



TRADE MARKS.

Hewell Works, Redditch,

ENGLAND.

Inventors and Patentees of Needle-eyed and Brazed-eyed Salmon and Trout Hooks,
— and many improvements in Rods, Nets, Cases, and General Fishing Gear. —

ORIGINAL MANUFACTURERS OF THE CELEBRATED "BICKERDYKE" SPECIALITIES.

N.B. ALL PREVIOUS LISTS ARE CANCELLED.

ENTERED AT STATIONERS HALL.



PRICE LIST.

NOTE.—ALL PREVIOUS PRICES ARE CANCELLED.

CANE RODS FOR BOYS.

Fitted with Brass Ferrules.

										Length Per doz.	8	10	12	13	14 ft.
1	Two-Joint,	Plain Canes	2/6	—	—	—	—	—
2	Three	" " "	"	—	4/6	—	—	—	—
3	Four	" " "	"	—	—	8/-	9/-	10/-	—
3M	Two	" Mottled	"	4/-	—	—	—	—	—
4	Three	" " "	"	—	6/-	—	—	—	—
5	Three	" " with Snake rings	"	—	9/-	—	—	—	—
6	Three	" " " and winch fittings	"	—	12/6	—	—	—	—
7	Four	" " " " " " " " " " " "	"	—	—	10/-	11/-	12/-	—
8	Four	" ditto better quality, with Snake rings	"	—	—	14/-	16/-	18/-	—
9	Four	" ditto " " " and winch fittings	"	—	—	18/-	20/-	22/-	—
10	Four	" ditto " " " " " " with dome butt	"	—	—	—	—	—	—
		cap, and in bag	"	—	—	21/-	24/-	27/-	—

CANE BOTTOM RODS.

21	Three-Joint,	Plain, lancewood top, stained	Length Per doz.	10	11	12 ft.
21R	Three	" Ringed, ditto ditto	"	10/-	11/-	12/-
21W	Three	" " ditto winch fitted, ditto	"	14/-	15/6	17/-
22	Four	" Plain, ditto	"	18/-	20/-	23/-
22R	Four	" Ringed ditto	"	—	—	16/-
22W	Four	" " winch fitted, ditto	"	—	—	22/-
										—	—	28/-
029	Three-Joint,	Plain, whole cane	Length per doz.	14	16	18 ft.
030	Three	" " " " upright rings	"	18/-	21/-	24/-
031	Three	" " " " " " winch fitted	"	25/-	30/-	36/-
										36/-	42/-	48/-


SPANISH CANE RODS.

VERY LIGHT AND QUICK IN ACTION.

									Length	10	12	13	14	15	16ft.
2001	Three-Joint,	brazed, plain	per doz.	10/6	14/-	—	16/-	—	—	—
2002	Four	"	"	"	"	—	19/-	21/6	25/-	28/-	31/-	—
2003	Three	"	"	snake rings, winch fitted	each	1/11	2/2	—	2/5	—	—	—
2004	Four	"	"	"	"	"	"	—	3/-	3/4	3/9	4/2	4/8

Length	8	9	10	11	12ft.
per doz.	7/6	—	—	—	—

11	Two-Joint,	Plain, with lancewood tops	per doz.	7/6	—	—	—	—
12	Two	" Ringed	"	"	"	9/6	—	—	—	—
13	Three	" Plain	"	"	"	—	9/6	11/-	—	—
13R	Three	" Ringed	"	"	"	—	12/-	14/-	—	—
13W	Three	" " and winch fitted	"	—	18/-	21/-	—	—
13A	Three	" " black polished, best quality	"	—	—	22/6	—	—
13B	Three	" " brazed, winch fitted and in bag	"	—	22/-	26/-	—	—
14	Four	" Plain, with lancewood tops	"	—	—	—	21/-	22/-
14R	Four	" Ringed	"	"	"	—	—	—	25/-	26/-
14W	Four	" " " winch fitted	"	—	—	—	32/-	33/-
15	Three	" Plain, with tenons and butt caps	"	—	12/6	15/6	—	—
15R	Three	" Ringed	"	"	"	...	"	—	16/6	19/6	—	—
15W	Three	" " " winch fitted and in bag	"	—	24/-	27/-	30/-	33/-
19	Three	" " brazed, best quality	"	—	34/-	35/-	36/-	36/-
20	Four	" " " " " " " " " " " "	"	—	—	—	—	52/-
19W	Three	" " " winch fitted and in bag	"	—	42/-	44/-	45/-	46/-
20W	Four	" " " " " " " " " " " "	"	—	—	—	—	62/-
19B	Three	" Superior, stained and polished	"	"	"	...	"	—	—	—	—	54/-
20B	Four	" " " " " " " " " " " "	"	—	—	—	—	66/-

[illegible]

758 **Warner's "Tourist."** 13ft. The joints and top are enclosed in a strong hollow cane walking stick, with solid horn (hook) handle. The rod handle, about a foot long, is carried in the pocket or bag each 16/-

NOTTINGHAM RODS.

NOTTINGHAM RODS.								Length	9	10	10½	11	12 ft.
60N	Three-Joint,	Pine butt and joint, lancewood top, dark finish, winch fitted, each						3/—	3/3	3/6	3/9	4/—	
61N	Three	"	ditto	ditto	tenoned, plugged, brazed	"	"	—	—	4/6	4/9	5/—	
62N	Three	"	ditto	ditto	spliced joint, better finish	"	"	—	5/3	5/6	5/9	6/—	
62N	Three	"	ditto	ditto	bronzed fittings, superior finish	"	"	—	—	6/9	7/—	7/6	
64N	Three	"	double brazed, brazed stoppers, spear cap, rubber button ...				"	—	—	9/6	10/—	10/—	

All the above are in bags.



BEST BOTTOM RODS.

							Length	10	11	12	13	14ft.
67	Three-Joint,	Ash butts, Hickory joints and lancewood tops, single brazed winch fitted, in bags	each	5/-	5/-	5/6	6/6	7/6
70	Three	" ditto ditto superior finish	"		6/-	6/3	6/6	7/6	9/-
71	Four	" " " " " " " " " " " "	"		7/-	7/3	7/6	9/-	10/-

BOTTOM AND TROLLING RODS.

Winch fitted, with two Tops, and in Bags.

145	Three-Joint,	Ash, brazed and ringed	each	5/-
146	Four	" " ditto	"	6/-
146B	Four	" " superior finish, bronzed ferrules, steel snake rings	"	8/-
146D	Four	" " " double brazed, brazed stoppers, and partitioned bag	"	10/6
1946	Three	" Balanced handle, hollow cane butt which carries one of the tops, cane joints, lancewood tops	"	7/6
1947	Four	ditto ditto	"	8/6

TWO PIECE ROACH RODS.


1579	Balanced handle, whole cane butt, lancewood top, ringed and winch fitted, in bag, 9 to 10 ft.	...	each	2/9
1580	Ditto ditto better quality and finish, 9 to 10 ft.	...	"	3/6
1581	Ditto ditto spliced top, bronzed fittings, partitioned bag, very light, 9 to 10 ft.	...	"	4/6
1582	The Lightest two-piece Sheffield Rod, green finish, screw end cap, winch fitted, in partitioned bag, 9 to 10 ft.	...	"	5/-
1583	Ditto ditto with cork grip, 9 to 10 ft.	...	"	6/6

GUDGEON RODS.


1986	Gudgeon Rod for bloodworm fishing, three-piece, green finish 6ft.	...	each	2/10
1987	Ditto ditto ringed and winch fitted, 6 ft.	...	"	4/3

ROACH RODS

Winch fitted, brazed, and ringed.




			Length	10	10½	11	12ft.
1183C	The "Lincoln."	Three-piece, balanced handle, cane butt and joint, lancewood top	each	2/4	2/4	—	—
1183	The "Arrow."	Three-piece, whole cane, good lancewood top, stoppers in bag	"	3/-	3/-	—	—
1923	The "Thame."	Three-piece, balanced handle, superior lancewood top, shoulder ferrule, fittings all bronzed, in good bag	"	4/6	4/6	—	—
1184	The "Trent."	Three-piece, dark wood, lancewood top, in bag	"	3/6	—	4/-	4/6
1909	The "Leeds."	Three-piece, pine butt, whole cane middle and lancewood top	"	—	4/9	—	—
1912	The "Blakey"	Three-piece, E. I. cane butt, pine middle spliced with lancewood, top lancewood.	"	—	—	5/-	—



No. 1183B

		Length	10	10½	11	12ft.
1183B	The "Bedford." Three-piece, whole cane butt with balanced handle, cane middle, spliced, greenheart top each		6/8	—	6/8	—
1958	The "Derby." Three-piece balanced handle, cane butt and middle, best lancewood top, snake rings, wood button "		6/-	6/3	6/3	6/9
1959	The "Colne." Four-piece ditto ditto "		—	—	—	7/4
1923B	The "Bradford." Three-piece, whole cane, mottled, greenheart top, cork grip, wood button "		7/6	—	7/6	7/6
1904	The "Emerald." Three-piece, whole cane, stained dull dark green, lancewood top, bridge line guides "		—	5/6	5/9	6/-
	" " Ditto ditto ... 13 ft. 7/-; 14 ft. 8/-					
1910	The "Burton." Three-piece, E. I. cane butt and middle, greenheart top closely whipped, wood button "		—	7/9	7/9	8/-
1900	The "Roach Rod." Three-piece, pine butt, E. I. cane middle, greenheart top		—	6/9	7/-	7/3
1926	The "Manchester." made of a new kind of Bamboo remarkable for its lightness and strength, three-piece, 10 to 12 feet long, with greenheart top, best finish, and all modern improvements "		9/-	—	9/-	9/-
	With cork covered grip 1/9 each extra.					
1932	The "Richmond." weight 11 oz., in 3 joints, cork grip, best finish and fittings		—	—	—	12/-
1933	Ditto ditto 4 " ditto 15 ft. 15/-					

ROACH & BOTTOM FISHING RODS (Special Patterns)



No. 1976A


		Length	10	10½	11	12ft.
0183C	The "Boston." Three-piece, balanced handle, cane butt and middle, lancewood top, shoulder ferrule, &c. each		2/-	2/-		Net.
1975	The "Canal Fishers." Three-piece, balanced handle, cane butt and middle, lancewood top, bridge rings, screw cap, in bag "		—	3/-		"
1976	Ditto ditto made from selected bleached canes, very light weight, green wrappings, bridge rings, bronzed fittings, screw cap, partition bag "		5/3	—	5/3	5/9
1976A	Ditto ditto ditto very superior, with cork grip		6/3	—	6/3	7/-
1984	The "Palatine." a very light rod, with extra fine top, three-piece, whole cane, balanced handle, middle spliced with lancewood, greenheart top, bridge rings, partitioned bag "		5/4	5/4		"
1984A	Ditto ditto with cork grip "		6/4	6/4		"
1985	Ditto ditto two-piece, with spliced greenheart top, 8 to 9 ft. each 4/3; cork grip, 5/3 Net. "					
1977	The "Lightwood" Roach Rod, made from an exceedingly light specially selected timber, spliced middle piece, bridge rings, screw cap, finished green or black "		—	5/6		"
1988	The "Napier" Roach Rod. Pine butt, mahoe middle, greenheart top. This combination of timber cannot be excelled for lightness and strength, finished green. "		—	6/-		"



ROACH RODS

Suitable for River or Lake.

		Length	12	13	14	15	16	18ft.
1911	The "Club." Four-piece, whole bamboo, two tops, wood button, snake rings, bronzed fittings each		7/-	—	8/-	—	9/-	—
1936	The "Whole Cane" Roach Rod. Four-piece, one top, light, quick action... .. "		—	—	—	7/6	8/3	—
1948	The "Hertford." Four-piece, balanced handle, superior finish, one top "		6/-	—	7/-	8/-	—	—
1924	The "Reading." Four-piece, best quality, greenheart top "		—	—	10/-	—	—	—
1199	The "Lea." Four-piece, two tops with revolving ends, brass caps, snake rings, winch fitted, rubber button, finished in best London style "		—	—	—	—	14/-	16/-
1951	The "Roseau." Four-piece, Spanish cane, well wrapped. Very light and quick in action. "		—	—	6/6	7/6	8/3	—
1952	The "Oxford." Three-piece, pine butt, cane middle, best top, finished green, steel bridge rings, bronzed fittings, wood button "		—	8/-	—	—	—	—
1931	The "Wallingford." Three-piece, Spanish cane, cork grip, brass ferrule caps "		—	8/6	9/3	—	—	—
1922	The "Beckford." Three-piece, E. I. cane handle, cane butt and middle, top spliced with greenheart, superior black finish, partitioned bag 12½ft. and 13½ft., 8/9 "		—	—	—	—	—	—
1198	The "Spanish" Cane. Three-piece, E. I. cane grip, button, bronzed fittings, etc. One length only 13½ ft., 6/9 "		—	—	—	—	—	—



No. 1930

		Length	12	13	14	15	16	18ft.
1930	The "Avon," without doubt, the highest quality rod for bottom fishing yet produced. It is built of our specially imported Bamboo cane, with about 3 feet of hand wrought split-cane forming the top, has polished wood balanced handle with solid rubber screw pad, universal reel fittings, reinforced ferrules, improved bridge line guides, revolving bronze top end, double brazed and finest finish. Highly recommended for strength, balance and action. "		14/-	14/6	15/6	—	—	—
	With Cork Grip 2/- each extra.							
	Spare Tops 5/6 " "							
1929	Ditto ditto with spliced cane, and greenheart top... .. "		11/6	12/-	13/-	—	—	—
1957	The "Superb." Three-piece, two tops spliced with greenheart, light wood butt, cane middle, double cork grip "		—	—	15/-	—	—	—

This Rod embraces all the vital principles the Roach angler desires, is very light, stiff and quick in action.



ROACH POLES (Best London Finish).

			Length	16	18	20ft.
1964	Thames	Roach Poles. Four-joint, to pack into two, brass caps, spliced top, partitioned bag each		12/-	13/-	—
1965	Ditto	ditto Four-joint, to pack into two, brass caps, spliced top, partitioned bag "		13/6	15/6	—
1966	Ditto	ditto Five-joint, to pack into three, brass caps, spliced top, partitioned bag "		14/6	16/6	18/-
1967	Ditto	ditto Five-joint, 2 tops, pack into three, brass caps, partitioned bag, equal to the best London make "		—	19/-	21/-

PIKE RODS.


These are serviceable Rods, and good selling lines.

122	Two-Joints,	Ash, ringed and winch fitted	8 ft.	2/-	each
123	Three	" Ash, " " " "	10 ft.	3/-	"
124	Two	" brazed, ringed and winch fitted	8 ft.	2/6	"
125	Two	" brazed, steel snake rings, winch fitted, porcelain end ring	8 ft.	3/3	"
126	Two	" Ash, stained and polished, 4 porcelain rings, winch fitted and brazed	8 ft.	4/-	"
131	Two	" balanced handle, cane butt, ash top, ringed, winch fitted	8 ft.	2/9	"
132	Three	" ditto	10 ft.	3/3	"
133	Two	" balanced handle, cane butt, ash top, collar ferrule, ringed, winch fitted	8 ft.	3/6	"
134	Three	" ditto	10 ft.	4/-	"
135	Two	" balanced handle, cane butt, hickory top, bridge rings, porcelain end rings, wood button, bronzed ferrules, brazed	8 ft.	5/-	"
130	Three	" Ash butt and joint, lancewood top, bronzed fittings, winch fitted	12 ft.	6/-	"

All the above are in bags.


PIKE RODS (Special Patterns).

1925	The "Jack"	rod, three-piece, cane butt and middle, snake rings, brazed and winch fitted	9 ft.	3/9	each
128	The "Hampton,"	three-piece, hickory, brazed and winch fitted, bronzed fittings ...	10 ft.	5/-	"
1925B	The "Windsor,"	three-piece, balanced handle, cane butt and middle, brazed, bronzed fittings	9 ft.	4/6	"




No. 1997

1997	The "Norfolk,"	three-piece, balanced handle, bridge rings, greenheart top,	9 ft.	5/3	each
1998	Ditto	ditto cork grip	9 ft.	6/9	"
1999	The "Robertson,"	three-piece, balanced handle, porcelain bridge rings,	9 ft.	7/-	"
2000	Ditto	ditto cork grip	9 ft.	7/6	"
1941	The "Handy,"	two-piece, balanced handle, hickory top, bronzed fittings	8 ft.	4/-	"




No 1961.

1961	The "Henley,"	two-piece, balanced handle, cane butt, lancewood top, steel upright rings	8 ft.	5/9	each
1960	Ditto	three-piece, ditto greenheart top, wood button	9½ ft.	7/-	"
1916	The "Club,"	three-piece, best bamboo, with hickory top, bronzed ferrules and fittings, wood button	10½ ft.	6/3	"
1917	The "Burton,"	three-piece, with E.I. mottled cane butt and joint, selected lancewood top, bronzed ferrules and fittings, steel snake rings	10 ft	7/6	"
1918	The "Witham,"	three-piece, E.I. cane, with greenheart top, a well made serviceable rod	9 to 10½ ft.	8/6	"
1914	The "Lindum,"	three-piece, greenheart, best quality and finish, 1 top, with Bickerdyke end ring, Universal winch fittings, rubber button	9½ ft.	10/6	"
1915	Ditto	ditto in ash and hickory, rubber button		9/6	"
1969	The "Leicester,"	three-piece, balanced handle, whole cane butt and middle, greenheart top, double brazed, rubber button, revolving end ring, best finish, &c.	9 to 10 ft.	9/6	"
1938	The "Winton,"	three-piece, all greenheart, double brazed, best Universal winch fittings, rubber button, &c.	10 to 11 ft.	11/3	"
1938A	Ditto	ditto bridge rings with porcelain centres		13/6	"



No 1942.

1942	The "Wyndham,"	three-piece, E.I. cane butt and middle, best lancewood top, bridge rings with porcelain centres, wood button	8 to 10 ft.	9/6	each
1970	The "Boston,"	two-piece, ash, finished green, with mounted porcelain rings, double brazed and winch fitted	8 ft.	6/6	"
1971	The "Ely,"	two-piece, ash, finished green, with three porcelain rings, brazed and winch fitted	8 ft.	5/3	"
1919	The "Model,"	three-piece, whole cane, balanced handle, with double cork grip, double brazed, Universal winch fittings, greenheart top, revolving end ring, rubber button	9 to 10 ft.	12/6	"
1949	Spinning and Trolling Rod,	four-piece, two greenheart tops, double cork grip, double brazed, rubber button, makes a 11½-ft. spinning rod, and 10-ft. trolling rod, whole cane		16/6	"
1913	The "Jardine,"	selected E.I. mottled cane, four-pieces, two tops, extra large upright guard rings, double brazed, extra strong ferrules, rubber button, hollow butt, &c. Suitable for all methods of Pike Fishing	11½ ft.	16/6	"
Made to the pattern used by the late Mr. Alfred Jardine. No better pike rod can be made.					



No. 778.

778	The "Bickerdyke,"	three-piece, E.I. cane, three greenheart tops, double brazed, Warner's patent wedgefast winch fittings, Bickerdyke end rings, &c.		25/-	each
1921	The "Ideal,"	selected E.I. mottled cane, three-piece, two tops, double cork grip, bridge rings, revolving end ring, rubber button	10 to 11 ft.	17/6	"



EAST INDIA CANE SPINNING RODS.

							Length	12	13	14	15	16 ft.
151	Three-joint,	upright rings, brazed, winch fitted, and in single bag						6/9	7/9	8/9	—	— each
152	Four	" ditto	ditto	ditto				7/9	8/9	10/3	12/-	14/- "
157	Three	" superior finish, bronzed ferrules, short extra top, in partitioned bag	10/6	11/6	13/-	15/-	17/- "
158	Four	" ditto	ditto	12/-	13/-	14/6	16/6	18/6 "

EAST INDIA CANE PUNT, OR LIGHT GENERAL RODS.


							Length	10	11	12	13	14 ft.
153	Four-joint,	three tops, bronzed ferrules, snake rings, brazed and winch fitted, hollow butt for spare tops, superior finish, partitioned bag and spike	14/-	14/6	15/-	16/6	18/- each
154	Four-joint,	ditto double brazed and brass lined stoppers	16/-	17/-	18/-	20/-	22/- "

CYCLE RODS.

Ringed, Winch fitted and in bags.

1895	Five-piece,	whole cane, bottom rod, in bag	10 ft.	3/6 each
1896	Ditto	ditto ditto superior finish	10 ft.	4/3 "
1897	Five	" bottom rod, pine and lancewood	10 ft.	5/6 "
1898	Five	" ditto selected ditto bronzed fittings, best finish	10 ft.	6/6 "
1899	Five	" E.I. cane, a perfect bottom fisher's rod, wood button, superior finish	10 to 11 ft.	7/6 "
1903A	Six	" general rod, greenheart, three tops for fly, bottom and spinning	12 ft.	13/6 "
1903	Five	" fly rod, one top, all greenheart, brazed	10 ft.	9/- "

GENERAL OR ALL-ROUND ANGLERS' RODS.



No. 1973


1972	Four-piece,	whole cane, three tops, balanced handle, snake rings, bronzed fittings, forming an 11 ft. roach rod, 10 ft. perch or barbel rod, and 9 ft. light spinning or pike rod; in partitioned bag	9/3 each
1973	Ditto	ditto greenheart tops, bridge rings, double brazed	11/6 "
1974	Ditto	ditto double cork grip, rubber button, superior finish, revolving end rings, etc.	15/6 "
159	Four-joint,	best hickory, hollow butt to hold tops, spear bag, three tops	12 ft.	12/6 "
163	Ditto	ditto ditto four tops	12 ft.	15/- "
167	Ditto	ditto ditto five tops	12 ft.	17/6 "

Longer rods 1/6 per foot extra up to 15 feet.



161	Four-joint,	superior quality, hollow butt, bronzed fittings, spear, partitioned bag, three tops	13 ft.	15/-	each
165	Four	" ditto four tops	13 ft.	18/-	"
168	Four	" ditto five tops	13 ft.	20/-	"


Longer rods 2/- per foot extra up to 15 feet.



No. 1934

1934	The "Bristol,"	three-piece, bottom and pike spinning rod, hollow butt of E.I. cane to hold tops, balanced handle, two greenheart tops, bridge rings, revolving end rings, rubber button, screw off cap, makes a 12 ft. bottom rod, and a 10 ft. pike rod	18/6	each
------	-----------------------	--	------	------


With cork grip, 2/- each extra.



No. 776

776	The "Bickerdyke" All-round Angler's Rod,	for all kinds of pike, chub, and other coarse fishing; makes up into six different rods. East India cane, with three greenheart tops and a short extra butt, finished in the best style, with Warner's patent "Wedgfast" winch fittings, with snake rings and "Bickerdyke" end rings; 15½ feet in its longest length	35/-	each
760	The "Pennell" General Rod,	with two butts and four tops, making up into eight different rods, varying in length from a nine-foot jack rod to a fifteen-foot grilse or salmon rod; best finish, double brazed, &c.	35/-	"
1939	The "Invincible,"	pike and bottom rod, balance handle, cane butt and middle, two lancewood tops, porcelain rings, rubber button, makes up into a 9½ ft. pike rod, and a 13 ft. bottom rod	12/-	"
1939A	Ditto	ditto with steel snake rings instead of porcelain	10/-	"
753	The "Perfect,"	combination fly and spinning rod. This combination makes up 4 rods, and the angler has always two at his command, viz., a 12-ft. fly rod and an 8-ft. spinning rod, or a 10-ft. fly rod and a 10-ft. spinning rod. We believe this is the only combination in which the angler has always two complete rods at the same time	27/6	"

SINGLE-HANDED BAIT-CASTING RODS.



No. 1994


1990	The "Fewston,"	all lancewood, two-piece, one top, double-brazed porcelain bridge line guides and end ring, wood button, partitioned bag, 6 ft.	10/6	each
1991	The "Treves,"	blue mahoe, two-piece, one top, finish as No. 1990, with cork grip and rubber button, &c., 6 ft.	16/-	"
1992	The "Lawson,"	Greenheart ditto ditto ditto	16/-	"



1993	The "Blagdon,"	Greenheart, two-piece, one top, agate line guides and end ring, serrated and reinforced ferrules, cork grip, close wrapped, either suction or "Hewell" lock joints, patent rubber button, superior finish, 6 or 7 ft.	23/6 each
1994	The "Shannon,"	blue mahoe, fittings and finish as No. 1993; 6 or 7 ft.	23/6 "
1995	The "Hewell,"	split cane, two-piece, one top, porcelain line guides and end ring, cork grip, suction or "Hewell" lock joints, 6 ft.	30/- "
1996	The "Expert,"	very best quality hand wrought split cane, fittings and finish as No. 1993, 6 or 7 ft.	36/- "

N.B.—All the above casting rods have movable winch fittings, enabling the reel to be used either above or below the hand. Ordinary winch fittings can be substituted if preferred.

ASH AND HICKORY FLY RODS.



No. 86.


								Length	9	10	11	12	13	14ft.
746	Three-Joint,	ash, brazed, winch fitted	each	—	3/-	3/6	4/-	—	—
86	Three	" hickory, ditto in bag	"	—	5/-	5/6	6/-	—	—
87	Four	" Ditto ditto	"	—	—	—	7/-	—	—
94A	Three	" ringed, brazed, winch fitted, best finish, single bag, spear	"	6/3	6/6	7/-	7/6	9/6	11/6
99	Four	" Ditto ditto ditto	"	—	—	—	8/6	11/-	13/-
102	Four	" hollow butt, two tops, superior finish	"	—	—	—	12/6	14/-	16/-
103	Three	" double brazed, bronzed ferrules, two tops in landing handle, superior finish, partitioned bag	"	14/-	14/-	14/-	15/-	16/6	18/-
105	Four	" Ditto ditto ditto	"	—	—	—	16/-	17/6	19/6

SUPERIOR HICKORY SALMON RODS.

								Length	15	16	17	18	19	20ft.
169	Four-Joint,	selected ash butt, hickory joints, and two lancewood tops	each	18/-	20/-	22/6	25/-	—	—
173	Four	" selected ash or hickory butt, hickory joints, two tops, double brazed, superior finish, rubber button	"	22/-	24/-	27/-	33/-	36/-	40/-

WHOLE CANE FLY RODS.

All the following are in three pieces, ringed, brazed, winch fitted and in partitioned bags.




No. 774.

774C	The "Popular."	Balanced handle, whole cane, with lancewood top	10 to 12ft.	7/3 each
774D	Ditto	ditto ditto cork grip, superior finish	10 to 12ft.	8/6 "



774	The "Ariel."	Two greenheart tops, cork grip, Universal winch fitting, wood button, best finish	10 to 12ft.	12/6 each
775	The "Zephyr."	Two greenheart tops, cork grip, serrated ferrules, double brazed, solid Universal winch fittings, rubber button, brass spear	10 to 12ft.	16/6 "
775A	Ditto	ditto	ditto	with agate rings throughout	10 to 12ft.	30/- "
745	The "Up-Stream."	A stiff fly, worm, or spinning rod, two greenheart tops, double cork grip, serrated ferrules, double brazed, mounted porcelain rings, rubber button	10 to 12ft.	21/- "
775B	The "Royal."	Split cane top, best built, cork grip, serrated ferrules, double brazed revolving end ring, rubber button, brass spear	10 to 12ft.	21/- "

GREENHEART FLY RODS.




No. 114.

			Length	10	10½	11	12	13	14	15	16ft.
1935	Three-Joint,	one top, single brazed, snake rings, in bag	each	5/-	5/-	5/3	5/6	—	—	—	—
013	Three	" one top, balanced handle, snake rings, brazed	...	6/-	6/-	6/9	7/6	9/-	11/-	—	—
014	Three	" ditto cork handle, wood button	...	7/9	8/-	8/6	9/6	12/-	14/-	—	—
113A	Three	" superior quality, brazed, partitioned bag, screw wood button	...	9/-	9/-	9/-	10/-	11/-	13/-	15/-	18/-
113	Four	" ditto ditto ditto	...	—	—	—	11/-	13/-	15/-	17/-	20/-
013B	Three	" solid greenheart butt, two tops, brazed, wood button, partitioned bag,	...	9/6	9/6	10/-	10/6	12/6	15/-	17/-	19/-
114	Three	" superior quality, cork or pigskin grip, two tops, brazed, partitioned bag, button	...	11/6	11/6	11/6	12/-	15/-	18/-	21/-	24/-
101A	Four	" two tops, double brazed, landing handle grip of cable cord, screw button	...	—	—	—	19/-	21/-	24/-	27/-	30/-
101B	Three	" ditto ditto ditto	...	16/6	16/6	16/6	17/6	19/6	22/-	25/-	27/6

SPECIAL FLY RODS.

The following are listed at strictly net prices and will be found to be the best value and most saleable patterns in the Trade. They are all in three pieces and partitioned bags.



No. 792.

			Length	10	10½	11	12ft.
792	The "Wharfedale."	Bronzed fittings, short extra top for worm or spinning, lined stoppers, finished green or black	...	5/9	6/-	6/3	6/9 Net
792A	Ditto	ditto double brazed, cork grip	...	8/6	8/6	9/3	9/6 "
792B	Ditto	ditto with "Hewell" lock joints, rubber button	...	11/-	11/-	11/3	11/6 "




								Length	10	10½	11	12ft.
92	The "Wensleydale."	All greenheart, stained green, one top	each	6/-	6/-	6/3	6/9	Net		
93	Ditto	ditto	double brazed, cork grip, rubber button	9/-	9/-	9/3	9/6	"		
94	Ditto	ditto	with "Hewell" lock joints, ditto	11/-	11/-	11/3	11/6	"		
794C	The "Empire."	All greenheart, double brazed, two tops, steel snake rings, Universal winch fittings	8/-	8/-	8/6	9/-	"		
794CP	Ditto	ditto	with pigskin grip	10/6	10/6	10/6	11/-	"		

AMERICAN STEEL FLY RODS.

74	The "Bristol."	Three-piece, 10-feet, upright rings, with detachable cork handle, partitioned bag	each	24/-
73	Ditto	Three-piece, telescopic, with plain maple polished grip. telescopes into one piece and the line is threaded through the centre, length when extended, 10-feet.	...	18/-


SUPERIOR TROUT AND SALMON FLY RODS.



No. 767

Length 10 10½ 11 12 13 14 15 16 17 18ft.

793	Superior Hickory “Dry Fly” Rod, finished green or black, steel snake rings, double brazed, lined stoppers, solid winch fittings, three joints, three tops	each	14/-	14/-	15/-	16/-	—	—	—	—	—	—
793A	Ditto	ditto mounted with agate rings	"	28/-	—	29/-	30/-	—	—	—	—	—	—
794	Special Greenheart “Dry Fly” Rod, double brazed, lined stoppers, Universal winch fittings, snake rings, three piece, two tops, rubber button	"	14/-	14/-	14/-	15/-	16/-	18/6	22/-	25/-	27/-	30/-
794D	Ditto	ditto cork grip, superior finish	"	16/6	16/6	16/6	17/6	20/-	22/-	25/-	28/-	32/-	35/-
767	The “Champion,” made from selected Greenheart, polished wood grip, Warner’s “Wedgefast” winch fittings, or ordinary solid winch fittings	"	18/-	—	19/-	21/-	23/-	25/-	27/6	30/-	35/-	40/-
793W	Green Greenheart, two tops, solid winch fittings, rubber button, etc.,	"	16/-	16/-	17/-	17/6	18/6	21/-	24/-	27/-	—	—
1978	Three-piece, with “Hewell” lock joints, two tops, cork grip, double brazed, snake rings		"	15/-	15/-	15/-	16/-	19/-	22/-	25/-	28/-	32/-	36/-




No. 1979

Length 10 10½ 11 12 13 14 15 16 17 18ft.

1979	Ditto	ditto	two tops, cork grip, rubber button, "Improved" bridge rings, well wrapped, superior finish	...	each	21/-	21/-	21/6	22/6	25/-	28/-	32/-	36/-	40/-	44/-
------	-------	-------	--	-----	------	------	------	------	------	------	------	------	------	------	------



WARNER'S SPECIAL PATTERN FLY RODS.



No. 748

Length 10 10½ 11 12 13 14 15 16ft.

- 748 **The Test.** Made of selected Greenheart, in three pieces' two tops, Solid Universal winch fittings, "Hewell" lock joints, cork or pigskin grip, very closely wrapped, with best hollow landing handle... each 28/- 28/- 30/- 32/6 35/- 37/6 40/- 43/-

- 779 **The "Bickerdyke."** The same style of Rod as No. 780, but in Greenheart and no landing handle; in all other respects exactly same as split cane "Bickerdyke" (see page 16) ... 30/- each

Length 10 11 12 13 14 15 16ft.


- 761 **"Warner's Victor."** Three-piece, two tops, made of selected Washaba, cork grip, solid Universal winch fittings, serrated ferrules, double brazed, lined stoppers, revolving end rings, superior finish— ... each 21/- 21/- 22/- 25/- 27/6 30/- 34/-

Landing handles, 2/6 to 4/- each extra.

Length 12 13 14 15 16 17 18ft.

- 760 **The "Hewell,"** East India mottled cane butt, best hickory middle, two Greenheart tops, cork grip, double brazed, superior finish ... each 20/- 22/- 24/6 27/- 30/- 32/6 35/-

The combination of cane and wood has been spoken very highly of and adopted by some of the best anglers at home and abroad, and we can confidently recommend the "Hewell" as a thoroughly reliable rod.




No. 1906

- 1906 **The "G.P." Brook Rod.** A Greenheart rod of the very finest quality, fitted in the latest and most approved style, making rods 7 ft. and 5½ ft. in length. The middle piece is fitted with bronze spring line guides, enabling the user to alter the length of rod without removing the cast. Two tops ... 15/- each

Length 10 10½ 11 12ft.


- 1982 **Three-piece,** blue mahoe, two tops, bridge rings, double brazed, rubber button, etc. ... each 13/- 13/- 13/6 14/-

- 1983 **Three-piece** ditto cork grip, revolving end rings, rubber button; superior finish ... " 16/6 16/6 17/- 17/6




No. 765

- 765 **The "Lightweight,"** three-piece, two tops, cork grip, superior finish; length 9 ft.; weight 5½ ozs. each 10/- **Net**
This Rod is specially suitable for Ladies' use; although powerful enough to kill fish up to 3 lbs. weight.



No. 757


754	Greenheart Butt, split cane top, two-piece, cork grip	9 to 10 ft.	each, 15/-	Net
755	Ditto two tops, ditto	9 to 10 ft.	" 21/-	"
756	Ditto one top, ditto, rubber button, revolving centre end ring, superior finish	9 to 10 ft.	" 18/6	"
757	Ditto ditto two tops	9 to 10 ft.	" 26/-	"



No. 769.

- 769 Warner's "Tourist" Walking-stick Fly Rod. This is a beautifully-made 9½ ft. light Greenheart fly rod, perfect in action; the joints and top enclosed in a strong hollow cane walking stick, with solid horn (hook) handle, which also forms the landing net shaft. The Rod handle about a foot long, is carried in the pocket or bag ... each 22/6

WARNER'S SPECIAL TWO-PIECE FLY ROD.



No. 759.

759A	The "Duchess" Brook Rod.	Best Greenheart, two tops, superior finish, with all up-to-date improvements. An exceedingly handy rod, for ladies' use or fishing small streams	9 to 10ft.	14/-	each
759B	Ditto	ditto	single brazed, one top and not so highly finished	...					9/-	"
759	The "Gem."	Made of selected Greenheart, cork or pigskin covered grip, Warner's "Wedgest" or solid Universal winch fittings, two tops in landing handle	...					9½ to 11ft.	21/-	"
1950B	The "Eden."	One greenheart top, cork grip, Universal winch fittings, double brazed, serrated ferrules, rubber button, spear, green finish	9 to 10½ft.	13/-	"
		Spare tops	5/-	each extra.						
1950A	Ditto	ditto	with "Hewell" lock joints	9 to 10½ft.	14/-	"
		Spare tops	5/6	each extra.						
1950	Ditto	ditto	with outside spiral lock joints	9 to 10½ft.	16/-	"
		Spare tops	6/6	each extra.						
			Length	9	9½	10	10½	11ft.		
1953	The "Keeper's" Rod.	Two piece, hickory butt, two lance-wood tops, finished dull black, steel snake rings, bronzed fittings, hitcher ring on butt, partitioned bag	each	10/6	10/6	10/6	11/6	12/6
747	The "Test."	The same Rod exactly as No. 748 (for description see page 13), but in two pieces instead of three	9½ to 11ft.	30/-	"



FEATHERWEIGHT FLY RODS.




No. 787.

The illustration represents our **New-Pattern "Worcestershire" Fly Rods**, which are the lightest and handiest Fishing Rods ever built in this country. JOHN BICKERDYKE, angling editor of the "Field," says, in an article in that paper:—"The result of the trial was to firmly convince me that in many cases we use Fly Rods quite double the weight they need be. At first I hesitated to put a heavy strain on this delicate rod, but in the course of a day or two I found I could play the fish very nearly as hard as with **the old Fly Rod I have had in use for the past fifteen years or more—one, by the way, built by the same firm.** This little sprig of split cane, which I could hardly feel in my hand, behaved splendidly, and I am quite certain that if any time was now and again lost in playing fish, it was fully made up by the number of lightly hooked Sea Trout, which would have broken away had I been using a heavier and stiffer rod." These rods are built of the very best material it is possible to procure, and finished in a manner which gives the greatest satisfaction to the most fastidious. They have solid cork handles, universal reel fittings, snake-shape line guides, hardened steel end rings, splint end ferrules, and ground in suction joints, and bag.

787	Built Split Cane—	Length	8 $\frac{3}{4}$	9	9 $\frac{1}{2}$	10ft.
		Weight	4 $\frac{1}{4}$	4 $\frac{1}{2}$	4 $\frac{3}{4}$	5 $\frac{1}{4}$ ozs.
		Each	35/-	35/-	37/6	40/-
787G	Greenheart—	Length	8 $\frac{3}{4}$	9	9 $\frac{1}{2}$	10ft.
		Weight	4 $\frac{1}{2}$	4 $\frac{3}{4}$	5	5 $\frac{1}{2}$ ozs.
		Each	17/6	17/6	17/6	17/6

HEXAGONAL SPLIT-CANE BUILT RODS.

1190	Two-piece, cork grip, one top, 9 or 10ft.	each	17/6	Net
1191	Ditto ditto two tops, 9 or 10ft.	"	23/6	"
1192	Ditto ditto one top, revolving centre end ring, close wrapped, superior finish, 9 or 10ft.	"	21/-	"
1193	Ditto ditto two tops, 9 to 10ft.	"	28/6	"



No. 1575


									Length	10	10 $\frac{1}{2}$	11	12ft.
1571	Three-piece machine built	each		5/6	—	—	Net.
1572	Ditto, better quality	"		10/-	—	—	"
1573	The "Anglo-American," three-piece, built cane, one top, cork grip, splint end ferrules, steel snake rings, partitioned bag	"		16/-	16/-	16/-	18/-
1574	The "Pensarn," best quality, machine made split cane, highly finished, plain polished wood grip, Universal fittings, splint end ferrules, ground in suction joints, hardened steel line guides and top end rings, two tops, &c., in partitioned bag. A rod far superior to the American rods usually sold at same price	"		20/-	20/-	20/-	22/6
	Hollow Landing Handles, 2/- each net.												
1575	The "Leyburn," three-piece, superior built, Universal fittings, medium wrapping, splint end ferrules, double-brazed, lockfast joints, two tops, cork grip, &c., equal in quality to many rods costing double the price. Highly recommended where a thoroughly strong, serviceable, and well-made article is required for all-round Trout and Grayling fishing. Made in four lengths only	"		26/-	26/-	26/-	29/-
	Hollow Landing Handles, 2/- each net.												
1576	The "Welford," superior finished, three-piece, two tops, double-brazed, splint end ferrules, well wrapped, cork grip, rubber button, hollow landing handle. This rod is similar in appearance to the best English built cane rods	"		31/-	31/-	32/-	35/-



Length 10 11 12 13 14 15 16 17 18 ft.

- 789 The "Dale," best English hand built, three-piece, two tops, suction or lock joints, splint end ferrules, solid Universal winch fittings, landing handle. This rod closely resembles our "Imperial" rod— each 55/- 57/6 60/- 70/- 80/- 90/- 100/- 110/- 120/-


WARNER'S "PERFECT" SPLIT-CANE BUILT RODS.



No. 790

The "Imperial" Rods, we guarantee **equal to any in the world**, and this, notwithstanding the continual assertion of large advertising makers that they make "the best rods in the world." Made throughout by hand, of carefully selected best material, by experienced workmen, and finished in the highest possible style. Fitted with graduated Universal, or patent "Wedgfast" winch fittings, waterproof lockfast, or suction joints, cork, pigskin, or polished wood grip, new pattern solid bridge rings, agate centre revolving butt and end rings, close wrapped, hardened splint end ferrules, &c.—

- | | | | | | | | | | | |
|-----|---------------|---|-----|-----|-----|-----|------------------------|----------|-------|------------|
| 790 | Three-piece, | two tops, and landing net handle | ... | ... | ... | ... | 10 to 12 | 14 | 16 | 18 ft. |
| | | | | | | | 70/- | 90/- | 125/- | 145/- each |
| 785 | Two | " one top | ... | ... | ... | ... | 9 & 9½ | 10 & 10½ | | 11 ft. |
| | | | | | | | 35/- | 37/6 | | 40/- each |
| 786 | Two | " two tops, in landing handle | ... | ... | ... | ... | 9 & 9½ | 10 & 10½ | | 11 ft. |
| | | | | | | | 55/- | 57/6 | | 60/- each |
| 791 | The "Gedney." | Made in two pieces, 9½ or 10 feet long, two tops in landing net shaft | | | | | | | ... | 60/- each |
| 752 | The "Test" | is built with action and finish specially for dry-fly fishing, and is used by some of the leading anglers of the day. Fitted with the most recent improvements, including watertight spiral lockfast joints, three-piece, two tops and hollow landing net shaft | | | | | 10, 10½, 11 and 12 ft. | | | 80/- each |



SHORT HANDLE TO USE INSTEAD OF BUTT.

No. 780

- 780 The "Bickerdyke," two tops, forming rods 12 ft. and 9½ ft. The finest rod of the class ever introduced 100/- each



SPARE TOPS.

						Length	1½	2	3	3½	4	4½	5 ft.
178	Lancewood Tops,	in the rough	per doz.	—	—	1/6	1/9	2/3	3/-	4/-
179	Greenheart Tops,	ditto	"	—	—	4/-	5/-	6/-	8/-	10/-
180	Lancewood Tops,	plain	"	—	—	3/-	3/6	4/-	—	—
181	Ditto	with tenons	"	—	—	4/-	5/6	7/-	—	—
182	Ditto	with tenons and ringed	"	—	—	5/-	7/-	9/-	—	—
183	Lancewood,	brazed, tenoned and ringed	"	—	—	8/-	10/-	12/-	16/-	20/-
183F	Ditto	ditto fine, for fly rods	"	—	—	10/-	14/6	18/-	20/-	26/-
184	Lancewood,	brazed, ringed and spliced	"	—	—	12/-	14/-	16/-	20/-	24/-
185	Lancewood,	ditto ditto double spliced, best quality	"	—	—	16/-	18/-	20/-	24/-	28/-
185A	All Cane,	treble spliced, superior quality	"	—	—	22/-	26/-	30/-	—	—
186	Lancewood Trolling Tops,	upright rings	"	3/-	3/6	6/-	—	—	—	—
187	Ditto	ditto brazed	"	5/-	5/6	8/-	—	—	—	—
188	Greenheart Tops,	single brazed	"	—	—	19/-	22/6	27/-	33/-	39/-
189	Greenheart Tops,	superior, extra whippings	"	—	—	21/-	27/-	32/-	39/-	48/-

For special Rods for sea fishing, see heading "Sea Rods and Tackle."

N.B.—Any of the Best Rods in our General List can be fitted with our Patent Wedgefast Reel Fitting (see Engraving page 19).

Bridge, Porcelain or Agate Rings, and Patent Bickerdyke End Rings TO ORDER, at a small extra charge.

All our Best Rods are made with carefully selected and well-seasoned Timber.

Any Special Rods, such as Pocket, Punt, or Spliced Rods, made to order in ten to fourteen days.

Old Rods repaired and put in thorough order if delivered free.

Japanese Rods, East India and Bamboo Canes of all kinds.—Prices on application.

ROD CASES.

Buff Wicker Baskets. varnished, lined waterproof cloth, with two straps inside, two straps outside and spring lock—

Inside measurement	72 × 4¾ × 3½ in.	...	39/-	each, net
"	66 × 3¾ × 3¼ in.	...	35/-	" "
"	54 × 3¾ × 3 in.	...	30/-	" "

Polished Wood, ditto ditto

Inside measurement	68 × 5 × 4¼ in.	...	20/-	each, net
"	62 × 4½ × 3¾ in.	...	19/-	" "
"	53 × 4 × 3½ in.	...	17/6	" "

We shall be pleased to quote prices for Rod Carriers of any size, in leather, canvas, tin, mahogany or oak.

ROD BAGS.

600C	Brown Selescopia Rod Bags,	plain	per doz.	3/6
600	Rod Bags,	Jean	single	6/-; large	9/-
600A	Ditto, best quality partitioned	Trout size	1/- to 1/6	Salmon	1/9 to	each 3/-



SOLE PATENTEES AND MANUFACTURERS OF
WARNER'S "PERFECT" DRIVING WHIP.



This whip is manufactured in the same manner, and with the same materials as our celebrated split cane fishing rods, and is acknowledged by all the leading authorities to be the most powerful, strongest, lightest, best finished, and handsomest whip yet introduced. Best Russia leather handle, and sterling silver mounts each **20/- Net**
 Canes for the above, unmounted " **7/6 "**

TONKING CANES. Length (about) 4 feet.

Diameter, about	$\frac{6}{16}$	$\frac{7}{16}$	$\frac{8}{16}$	$\frac{9}{16}$	$\frac{10}{16}$	$\frac{11}{16}$	$\frac{12}{16}$ inch
Per 100	2/8	3/2	3/8	4/2	4/9	7/6	10/-

ROD FERRULES & FITTINGS.

224 Brass Ferrules, plain, assorted sizes, Nos. 2 to 19, or $\frac{3}{16}$ to $\frac{11}{16}$ in. per gross **16/-**

225 Ditto ditto with counters, sizes as above " **27/-**


These prices are fixed for an average quantity of small, medium, and large sizes; if greater proportion of larger sizes are ordered, they will be charged accordingly.

226 Brass Counter Ferrules, extra long—

Diam.	$\frac{3}{16}$	$\frac{4}{16}$	$\frac{5}{16}$	$\frac{6}{16}$	$\frac{7}{16}$	$\frac{8}{16}$	$\frac{9}{16}$	$\frac{10}{16}$	$\frac{11}{16}$	$\frac{12}{16}$	$\frac{13}{16}$	$\frac{14}{16}$	$\frac{15}{16}$	1 inch
Per doz.	1/4	1/6	1/8	1/10	2/-	2/3	2/6	2/8	3/-	3/3	3/6	3/9	4/3	5/-

226B Ditto ditto extra stout metal— $\frac{14}{16}$ $\frac{15}{16}$ 1 $1\frac{1}{16}$ $1\frac{1}{8}$ $1\frac{3}{16}$ $1\frac{1}{4}$ inch
 Per doz. **4/3** **5/3** **6/-** **6/6** **7/-** **8/-** **9/-**

Any of the above Ferrules can be had Bronzed if desired at $\frac{3}{16}$ in. to $\frac{12}{16}$ in. 1/- per doz., $\frac{13}{16}$ in. to $1\frac{1}{8}$ in. $1\frac{1}{6}$ per doz. extra



No. **223**

No. **223A**

223 The "Hewell" Lock-joint Ferrules, with counters, bronzed **1/6** each

223A "Spiral" ditto ditto ditto **4/6 "**

					Diam.	$\frac{14}{16}$	$\frac{15}{16}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{3}{16}$	$1\frac{1}{4}$
227 Butt End Ferrules , open ends	per doz.	1/6	1/6	1/9	1/9	2/-	2/-	2/3

228C Ditto	ditto	round ends, plain	"	10d.	10d.	10d.	1/-	1/-	1/3	1/3
-------------------	-------	-------------------	-----	-----	---	-------------	-------------	-------------	------------	------------	------------	------------

238R Ditto	ditto	ditto	polished	2/-	2/-	2/-	2/3	2/3	2/6	2/6
-------------------	-------	-------	----------	-----	-----	------------	------------	------------	------------	------------	------------	------------

229 Ditto	ditto	tapered, with button screw	"	—	—	4/6	5/-	5/3	5/6	6/-
------------------	-------	----------------------------	-----	-----	---	---	---	------------	------------	------------	------------	------------

230 Ditto	flat ends, screw off caps, for hollow butts	"	—	—	11/-	11/6	12/-	12/6	13/-
------------------	---	-----	-----	-----	---	---	---	-------------	-------------	-------------	-------------	-------------

228R	229	230
1/-	1/6	2/-

per doz. extra, if bronzed.

231 Winch Fittings , plain, polished, in sets of 3	per doz. sets	—	3/-	3/-	3/-	3/-	3/3	3/6
---	-----	-----	-----	---------------	---	------------	------------	------------	------------	------------	------------

232 Ditto	extra stout metal, bronzed	"	—	5/-	5/-	5/-	5/3	5/6
------------------	----------------------------	-----	-----	-----	---	---	------------	------------	------------	------------	------------

233 "Universal" Winch Fittings , bronzed, easily fixed on the rod, suitable for for any size reel	"	"	—	8/-	8/-	8/-	8/-	8/-
--	-----	-----	-----	---	---	---	------------	------------	------------	------------	------------


0233 Ditto	ditto	plain, bronzed	—	6/-	6/-	6/-	6/-	6/-
-------------------	-------	----------------	-----	-----	-----	---	------------	------------	------------	------------	------------

233C Ditto	ditto	polished bright	"	—	4/-	4/-	4/-	4/-	4/3	4/6
-------------------	-------	-----------------	-----	-----	---	---	------------	------------	------------	------------	------------	------------

233A Solid "Universal" Winch Fittings , bronzed, plain finish	1 to $1\frac{1}{4}$ in.	2/-	each
--	-----	-----	-----	-------------------------	------------	------

233B Ditto	ditto	best quality	1 to $1\frac{1}{4}$ in.	3/-	"
-------------------	-------	--------------	-----	-----	-----	-----	-------------------------	------------	---


1520 Collars or Shoulder Ferrules, bright, **2/-**, bronzed **2/6** per doz.




1101	Warner's Patent "Wedgefast" Winch Fitting.	Will take, and firmly hold in position any size winch	No. 1 for Trout Rods, 2/6 ; No. 2 for Salmon Rods	3/6 each
234	Iron Spikes or Spears,	polished, for rod butt ends	4/- per doz.
235	Brass	ditto burnished	small, 4/3 ; large	6/- "
234A	Bank Hooks,	japanned, to drive in	5/- "
235B	"	" bright, to screw	9/6 "
236	Brass Sockets,	for landing net handles	$\frac{8}{16}$ to $\frac{12}{16}$ in. diam.	3/6 "
244	Hard Wood Buttons,	with screw, for Rod butt ends, assorted sizes	5/- "
244A	Ditto,	with wood tenon, to drive in	3/- "
245	Rubber Buttons,	with brass screw	$1\frac{1}{4}$ in., 6/- ; $1\frac{1}{2}$ in., 9/- ; $1\frac{3}{4}$ in., 12/-	...	"
245	Pulley Ends and Sheave Rings,	for sea rods, see Fishing Tackle pages.						
1124	Belt Clips,	for landing net handles, hardened steel	1/6 "
1129	Brass Knuckle Joints,	bronzed, snap joint...	3/- each
1129A	Gun Metal	" " lever joint	4/6 "
1129B	Superior Quality Joints,	with tube each end for centre of landing net handle	5/6 "

11

No. 0239



No. 239




239A


- | | | | | | | | | | | | | | |
|------|----------------------------|-------------|-----|-----|-----|-----|-----|-----|-------------|-----|--------|-----|-----------|
| 237 | Rod Rings, | brass | ... | ... | ... | ... | ... | ... | Nos. 4 to 8 | 4d. | 9to 12 | 5d, | per gross |
| 237B | Ditto | white metal | ... | ... | ... | ... | ... | ... | 5d. | " | 7d. | " | |
| 238 | Rod Ring Keepers | | ... | ... | ... | ... | ... | ... | Nos. 1 to 4 | 4d. | " | | |
| 238A | Catches or Hitchers | | ... | ... | ... | ... | ... | ... | " 0 to 4 | 9d. | " | | |




239	White Upright Rod Rings,	No.	oo	o	1	2	3	4	5	6	7	8	9	10	
				1/-	1/-	1/2	1/4	1/6	1/9	2/-	2/6	3/-	3/6	4/-	per gross
239S	German Silver Shape Snake Rings	1/3		1/6	1/9	2/-	2/3	2/6	2/9	3/-					
239SB	Plated Brass	ditto			No. 000	oo	o	1	2	3	4	5	6		
						1/-	1/-	1/-	1/3	1/6	1/8	1/10	2/3	2/9	"
0239	Hardened Steel, rust-proofed, ditto	No. 000	oo	o	1	2	3	4	5	6	7	8	9		
				2/-	2/-	2/-	2/3	2/6	2/9	3/-	3/3	3/6	3/9	4/-	4/6
239PB	Phosphor Bronze Snake Rings			1/3	1/3	1/6	1/9	2/-	2/6	3/-	3/6	4/-			"
239A	Silvered Rod Top End Rings	...		No. 1 to 4,	2/-	5 to 8,	3/-	9 and 10,	4/-						"
239AS	Hardened Steel	ditto			1 to 8,	8/-		"
241S	Ditto "T" shape	ditto			1 to 8,	8/-		"




No. 1103



No. 240




No. 240 S




No. 242 G

1103	Improved Solid Oval Shape	No. 3/0 to 1,	20/-	2 to 5,	21/-	6 to 8,	22/-	per gross
240	Hardened Steel Guard Rings	Nos. 3/0 to 1,	8/-	2 to 5,	9/-	6 to 9,	10/-	"
240A	Hardened Steel Bridge Rings	Nos. 3/0 to 1,	7/6	2 to 5,	8/6	6 to 9,	10/-	"
240B	"Bell's Life" Rings, Silvered	Nos. 1 to 3,	1/3	4 to 8,	1/9	9 to 11,	2/6	per doz.
240S	Single Steel Upright Rings	Nos. 3/0 to 4,	2/6	5 to 7,	3/-			per gross
242	Best Upright Rod Rings, with revolving centres	5/-	per doz.
242G	"The Girder" ditto	ditto	24/-	"
243	Rod Top End Rings, with revolving centres	5/-	"



No. 1102 A



No. 1102 B

1521

Phosphor-bronze centres for end rings, $\frac{1}{8}$ to $\frac{5}{8}$ in., 2/6; $\frac{11}{16}$ and $\frac{3}{4}$ in., 3/- per doz.


1102

Warner's "Bickerdyke" Rod Top End Rings, decrease friction, prevent fouling of the line, and keep the rod from warping. Nos. 1, 2 and 3 are for Sea and Trolling Rods, Nos. 4 and 5 for Spinning and Bottom Rods, No. 6 for Fly Rods


	No.	1	2	3	4	5	6	
Pattern A, with phosphor-bronze revolving inner ring		14/-	13/-	12/-	11/-	10/-	9/-	per doz
Pattern B, plain, without centres		6/-	5/6	5/-	4/6	4/3	4/-	"




PORCELAIN RINGS.



No. 241 C



No. 241 E




No. 241 F


						Small	Medium	Large	
241	Porcelain Rings, plain, unmounted	1/9	1/9	1/9	per doz.
241A	Ditto, with saddle groove, for binding on only	1/10	1/10	2/-	"
241B	Ditto centre Rod-top end rings	3/-	3/-	3/-	"
241C	Ditto ditto bridge mounted line guides	5/-	5/3	5/6	"
241D	Ditto, upright ditto	3/-	3/-	3/-	"
241E	Ditto, Bell's Life mounted	6/6	7/-	7/6	"
241F	Ditto, screw (patent) Sizes—1 (smallest), 2, 3, 4, 5, 3/- per doz. Net.								

This centre is intended for use at the water side, to quickly replace broken or damaged rings.


AGATE RINGS.



No. 330



No. 1100



No. 329

		No.	1	2	3	4	5	6	7	8	9	10	
329	Agate Centre Rod Top End Rings	10d.	10d.	11d.	1/-	1/2	1/4	1/6	1/6	2/-	2/3	2/6	each
330	Ditto, line guides, Bell's Life, mounted	1/-	1/2	1/3	1/4	1/6	1/9	2/-	2/3	2/6	2/9	"	
1100	Ditto, ditto, cased and with side stays	2/3	2/6	2/9	3/-	3/3	3/6	3/9	4/-	4/6	5/-	"	

ROD RINGS ON CARDS.

960	White Double Upright, 11 rings and top ring	3/6	per doz. cards
961	ditto 6 " "	2/-	"
962	White Snake, 11 rings and top ring	3/-	"
963	ditto 6 " "	1/9	"
964	Phosphor Bronze Snake, 11 rings and top ring	3/6	"
965	ditto 6 " "	2/2	"
966	Hardened Steel Snake, 11 rings and top ring	3/9	"
967	ditto 6 " "	2/3	"
968	Steel Bridge Rings, 10 rings and top rings	8/6	"
969	ditto 6 " "	5/6	"
970	Steel Guard Rings, 10 rings and top ring	8/6	"
971	ditto 6 " "	5/6	"
972	Porcelain Rings, on cards (six rod rings and one mounted end ring on a card)	1/2	per card Net


When ordering, please state description of rod for which the rings are required.



Special Rods and Tackle for Sea Fishing.


RODS

1647	Two-piece wood rod, brazed, winch fitted, 8 ft.	18/- per doz.
1599	Two-piece stout whole cane rod, strong, but very light, ringed, brazed, and winch fitted, 7 ft. to 8 ft.	2/- each.
1600	Boys' Two-piece , ash, ringed, tenoned, 8 ft. extra stout	1/6 "
1601	ditto ditto winch fitted, 8 ft. ditto	2/- "
1601B	ditto ditto brazed, in bag, 8 ft. ditto	2/9 "
1602	ditto ditto porcelain end ring, brazed, winch fitted, in bag, 8 ft.	3/3 "
1603	ditto ditto better finished, pulley end ditto ditto	4/3 "




No 1604

1604	Three-piece , dark polished, brazed, tenoned, winch fitted, porcelain end ring, 9 ft. in bag	5/2 each.
1605	Two ditto balance handle, cane butt, ash top, winch fitted, 8 ft.	2/6 "
1605A	Three ditto ditto ditto ditto 9 ft.	3/- "
1606	Two ditto ditto collar ferrule, better finish, 8 ft. in bag	3/6 "
1606A	Three ditto ditto ditto ditto 9 ft. "	4/- "
1607	Two ditto dark polished ash, brazed, tenoned, pulley end, 8 ft. in bag	5/4 "
1608	Two ditto better finished, double brazed, bridge rings, pulley end, 8 ft., in bag	6/4 "
1592	Two ditto Greenheart , porcelain end ring, 7 ft., in bag	5/4 "
1593	Two ditto ditto ditto cork grip, 7 ft. "	6/6 "
1620	Two ditto ditto swing pulley end, 7 ft. "	7/9 "



No 1944C.

1944C	Two-piece , balance handle, stout cane butt, Lancewood or Greenheart top, pulley end, 8 ft.	6/- "
1944	ditto all Lancewood , P.B. bridge rings, pulley end, 8 ft.	8/- "
1944B	ditto balance handle, stout cane butt, greenheart top, pulley end, rubber button, double cork grip, double brazed, 8 ft.	10/- "




No 1944A

1944A	Two-piece , balance handle with double cork grip, stout cane butt, lancewood or greenheart top, porcelain end ring, wood button, 8 ft.	7/9 "
-------	---	-----	-----	-----	-----	-------



1589	Two-piece blue mahoe, phosphor bronze bridge rings, porcelain end ring, double brazed, wood button, 7ft. to 8ft.	12/- each.
1590	Two-piece ditto ditto porcelain end and bridge rings, stout fittings, rubber button, superior finish, 7ft. to 8ft.	14/6 "
1591	Two-piece ditto ditto double cork grip, reinforced ferrules, rubber button, etc., etc., 7ft. to 8ft.	18/- "

SEA RODS, MOUNTED WITH PORCELAIN RINGS.



No 1616.


1613	Two-piece Ash , polished black, brazed, winch fitted, in bag, three rings, 8ft. ...	4/3 "
1614	ditto polished brown ditto four rings, better finished, 8ft. ...	5/3 "
1615	ditto polished green, double brazed, stouter fittings, 8ft. ...	6/6 "
1609	Three ditto ditto ditto ditto 10ft. ...	7/9 "
1616	Two ditto stout top, polished green, double brazed, rubber button, stout fittings, 8ft. ...	8/- "
1595	ditto Cane Butt , greenheart top, upright mounted rings, 8ft. ...	6/- "
1617	ditto ditto balance handle, wood button, four bridge mounted rings, 8ft. ...	7/3 "
1594	ditto ditto greenheart top, cork grip, ditto ditto 7ft. ...	9/- "
1618	ditto ditto double cork grip, double brazed, rubber button, &c., 8ft. ...	11/6 "
1619	ditto E.I. Cane Butt , double cork grip, greenheart top, rubber button, &c.; very strong and light, superior finish, highly recommended, 8ft. ...	15/- "

SPECIAL PATTERN SEA RODS.



No 1962.

1962	Two Piece , double cork grip, cane butt, Greenheart top, bridge rings, rubber button, pulley end, double brazed, porcelain lined butt ring, 8ft. ...	13/- each
1963	Ditto, all Greenheart sheave roller, pulley end, rubber button, &c., &c., 8ft. ...	15/- "




No. 1927

1927	The "Hastings" Sea Rod. No. 1. This is one of the finest Sea Rods on the market, and has been designed with a view to a combination of strength and lightness, it is 8ft. long, built with E.I cane butt and Greenheart top, has roller sheave next the reel, bridge line guides, Scarbro' pulley top end, double brazed, universal reel fittings, rubber butt end and best finish, in partition bag ...	13/6 "
1927C	Ditto ditto No. 2. Plain finish ...	10/6 "

Either of the above can be built with solid Greenheart butt instead of cane at 1/- each extra.



- 799 Warner's "Perfect" Sea Rod, as described in *The Angler* of October 7th, 1893, with patent rings and fittings, superior finish 24/- "
- 782 The "Bickerdyke" Sea Fly Rod, for fly-casting for bass, &c., made in Greenheart 25/- "



No. 1610.


- 1610 Three-piece, built cane, balanced polished grip, wood button, phosphor-bronze rings, revolving end rings, 9 to 10ft. 21/- "
- 1611 Ditto ditto double cork grip, rubber button, bridge mounted porcelain rings, one top, 9 to 10ft. 27/6 "
- 1612 Two-piece ditto detached handle, double cork grip, extra strong winch fittings, "Hewell" lock joint, bridge mounted porcelain rings, 7 to 8½ft. 35/- "
- 1584 Four-piece, stout cane rods, double upright rings, winch fitted, tenoned, wood button—
Length 14 15 16ft.
6/6 7/- 7/6 each

SEA REELS.


Made from thoroughly seasoned wood.

			Inches 3	3½	4	4½	5	
1629	Straight back, bushed	...	1/4	1/7	1/9	2/6	—	each
1630	Star back, bushed	...	1/8	2/-	2/5	3/4	5/-	"
1631	ditto with optional check	...	2/9	3/4	4/2	5/-	6/4	"
1621	ditto superior quality, plain	...	2/2	3/-	4/-	5/-	6/-	"
1622	ditto ditto with optional check	...	3/8	4/6	5/2	6/-	6/10	"


1630, 1631, 1621, 1622, can be supplied with pear shape handles and winged nuts at 1/- per reel extra subject.



No. 1623



No. 1624



No. 1625

		Inches 3½	4	4½	5	5½	6	6½	7
1623	Walnut Barrel, Brass Star Back and Spindle, optional check, pear shape handles each	5/4	5/9	7/3	8/-	9/-	10/6	—	—
1624	Cast Star Back, oval handle plates, line guard, ditto "	6/4	6/9	7/6	9/-	10/-	11/6	—	—
1625	Ditto, brass lined and cased, winged nuts, line guard, optional check, &c. "	7/6	9/-	10/-	11/-	12/6	14/-	—	—
1626	The "Badminton," one of the best Sea Reels on the market	—	—	10/-	12/-	14/-	16/-	18/-	21/-
1627	The "Scarboro'" ditto ditto "	—	—	—	10/-	10/6	11/-	11/6	12/-

Curved Mattress and Upholsterers' 2/- per gross extra.

Having had a long and varied experience in the manufacture of Special Tackle for these markets, J. W. & SONS LTD., are in a particularly good position for meeting the peculiar and exacting requirements of anglers in India and the Colonies.


No. 1770

1769	Laboe and Carp Rods , three-piece, balance handle, cane butt and middle, very light and quick striking, 10 feet							7/-	each						
1770	ditto	ditto	superior finish, cork grip, rubber button, 10 feet							10/-	"						
1980	ditto	ditto	made of blue mahoe wood, built slightly stiffer than above, two tops, 10 feet							12/-	"						
1981	ditto	ditto	ditto	cork grip, revolving end ring, superior finish, 10 feet							15/-	"					
1771	The "Murrel" Rod , three-piece, butt and middle E.I. cane, two greenheart tops, one suitable for livebaiting, shorter one for dapping, with dead frog, &c, cork grip, revolving end ring, rubber button, length—10 to 11 feet															17/6	"
If with double pigskin grip, 2/- each extra.																					
1772	ditto	three-piece, all greenheart, two tops, double brazed, rubber button, suitable for angling in weedy and lily-grown waters, 9 to 10 feet							10/9	"							



GENERAL OR ALL ROUND ANGLERS' RODS.

Suitable for Bottom, Spinning, and Live-bait Angling.




No. 1774

1773	Four-piece, whole cane, balanced handle, snake ring, bronzed fittings, three tops, making rods of 11, 10, and 9 feet respectively, in partition bag	10/-	each
1774	ditto ditto greenheart tops, bridge rings, double brazed, revolving end rings, etc.	13/-	"
1775	ditto ditto double cork grip, rubber button, superior finish	16/-	"
1776	ditto East India cane, three tops, butt hollow to carry tops, superior finish, 10 feet	14/-	"
1777	ditto Hickory, three tops, ditto ditto ditto 13 feet	15/-	"

SINGLE AND DOUBLE-HANDLED MAHSEER RODS.

Made from selected well-seasoned greenheart.



No. 1864


		Length—feet	10	10½	11	12	13	14	15	16
1859	Three-piece, balanced handle, one top, single brazed	each	6/3	6/6	7/—	7/6	9/—	11/—	—	—
1860	ditto ditto superior finish "	9/—	9/—	9/—	10/—	11/—	13/—	15/—	18/—
1861	ditto solid greenheart butt, two tops, wood button	"	9/6	9/6	10/—	10/6	12/6	15/—	17/—	19/—
1862	ditto ditto double brazed, rubber button, landing handle	"	15/—	15/—	15/—	16/—	17/6	19/—	22/6	25/6
1863	ditto balanced handle, double brazed, lined stoppers, two tops, rubber button "	14/—	14/—	15/—	16/—	18/6	22/—	25/—	30/—
1864	ditto ditto agate centre end ring, pigskin grip, landing handle "	20/—	20/—	21/—	22/—	26/—	29/—	32/—	35/—
1866	“Champion” Mahseer Rod, three piece, polished wood grip, Warner’s patent wedgefast winch fitting, or ordinary solid winch fittings, two tops, agate centre end rings "	19/—	19/6	20/6	23/—	25/—	27/6	30/—	33/—
1867	The “Poonch,” three-piece, two tops, spiral lock joints, improved bridge rings, agate centre end and butt rings, pigskin grip, cushion, rubber button, &c. "	32/—	32/6	32/6	35/—	40/—	45/—	50/—	55/—

ESTABLISHED 1850

J. WARNER & SONS,
HEWELL WORKS, REDDITCH

TRADE MARK

INVENTORS PATENTEES & MANUFACTURERS OF



FISHING TACKLE,
Of every description and Highest Class.
For all Markets of the World.

ORIGINAL & SOLE MAKERS OF THE
"BICKERDYKE" SPECIALITIES.