

HORROCKS-IBBOTSON CO.


(ESTABLISHED 1812)

NEW YORK SALESROOM

18 WARREN ST., NEW YORK CITY

FACTORIES
UTICA, N. Y. • ROME, N. Y.

ADDRESS ALL CORRESPONDENCE TO UTICA 2, N. Y.



Manufacturers of the Largest Line of Fishing Tackle in the World



MAKERS OF

STEEL AND BAMBOO FISHING RODS • FLY RODS


CASTING AND SALT WATER REELS

NYLON, SILK, LINEN AND COTTON LINES

ARTIFICIAL BAITS, SPOONS, SPINNERS, FLIES AND LURES
FLOATS, LEADERS, SINKERS, HOOKS, LANDING BOWS AND ALL ACCESSORIES

Fight Pollution - For Better Health and Better Fishing


FLY RODS



THE LUCERNE SPINNING ROD — A 2-piece, brown tone finish rod made from tonkin cane stock. Nickel-silver ferrules, with 4 triple plated hard chrome French style graduated spinning guides on tip and one large guide on butt, 12 inch specie cork grip with 2 beaded chrome reel bands. Wound in gold trim brown. Length 7 ft. Put up in cloth bag and fibre rod case. Weight 43% ounces.

Each \$18.00

FLY RODS




TONKA PRINCE — A special type rod for an angler who fishes in smaller streams and wishes to cast over the white water and on brush-bordered pools. This rod replaces the Princess rod and is constructed from a special selection of flam finish tonkin cane. A 2-piece rod with one tip only, 5 tungsten snake guides on tip joint, fitted with a locking reseat, nickel plated ferrules and a 6" cork grip. Wound in blue and packed in a cloth bag. Made in 7 ft. length only weight 4¼ ounces.

Each \$11.06

BEAVERKILL — A 3-piece rod, with one tip only, constructed from natural finish tonkin cane. Mounted with nickel ferrules and locking reel seat. 3 tungsten snake guides on tip joint. Wound in red only. Length 8½ ft. Weight 5¼ ounces. Packed in cloth bag.

Each \$9.00

BAMBOO CASTING RODS



PRESIDENT BAIT ROD — A sturdy 3-piece bamboo rod for the bait fisherman. Constructed from natural finish tonkin cane. Mounted with tenite reel seat, 4 snake guides on top, 3 snake guides on second joint, cork grip and decorated with green wind. A 3-piece rod with no extra tip. Made in 9½ ft. length only. Packed in cambric bag. Weight 9 counces.

CASTING AND SALT WATER RODS

No. 1002, THE POPPING ROD — A solid 1-piece rod constructed from natural finish tonkin cane with double non-detachable grip. One stainless steel guide and 3 chrome bell guides in line, with chrome locking reel seat, wound orange—trim black. 6½ ft. overall. Packed in cloth bag.

Each \$16.00



TEXAS GULF — Constructed from impregnated tonkin bamboo, varnished stock. A solid, 1-piece non-detachable grip, with 4 stainless steel guides and tip. Chrome plated locking reel seat with finger hook. $5\frac{1}{2}$ ft. overall. Packed in a cloth bag.

Each \$12.00



FLORIDA ARROW — Made from natural split bamboo, varnished stock. Mounted with a double non-detachable grip, agatine guide and tip, with a tenite reel seat and finger hook. Trimmed with red windings. 3½ ft. length only. Packed in a cloth bag.

Each \$6.00



THE SKAGIT — Steel head rod. A 2-piece flame finish tonkin cane rod. Six stainless steel guides on tip. Mounted with a No. 7 reinforced humpback ferrule, with improved chrome plated locking reel seat and double specie cork grip. Brown wind with yellow trim. Packed in a cloth bag. Length $8\frac{1}{2}$ ft. Weight $15\frac{5}{8}$ ounces. Each \$18.00

SPECIAL WEAKFISH ROD



No. 059SW — A special rod for the New York-Jersey weal-fish angler. Made from Hexi-cane with 39" tip, weighing 3¾ ounces. Overall length of rod, 4'8". Mounted with locking reel seat, Lubber butt cap, one pair of stainless steel guides and tip. Trimmed in blue and packed in a cloth bag.

Each \$10.00


ONE PIECE SALT WATER RODS



No. 091 — A high-grade boat rod constructed from plastic impregnated genuine tonkin cane. $4\frac{1}{2}$ ft. tip. weighing 9 ounces. Three stainless steel guides in line, stainless steel tip, rubber butt cap, chrome-plated improved locking reel seat. Maroon windings with pongee trim. Packed in a cloth bag.

No. 092 — Same as the 091 except length of tip is 5½ ft. Packed in cloth bag.

Each \$17.00



No. 278DS, SARASOTA — An attractive flame finish tonkin bamboo rod, $4\frac{1}{2}$ ft. tip, weighing 9 ounces. Locking reel seat, 3 stainless steel guides in line, and tip. Green wind with white trim. Rubber butt cap. Packed in a cloth bag. Each \$12.00

No. 279DS — Same as the 278DS except length of tip is 5 ½ ft. Packed in cloth bag.

Each \$13.00

SALT WATER RODS



No. 084, GULF SPECIAL — An old H-I favorite with a new name. Plastic impregnated tonkin bamboo rod with 4½ ft. tip, weighing 6 ounces. Mounted with an improved locking reel seat, trimmed with black and red windings. This rod has a rubber butt cap, 3 stainless steel guides in line, stainless steel tip. Packed in a cloth bag.

Each \$15.00



No. PMSS, PECONIC — A pre-war leader in the H-I salt water line. Flame finish tonkin rod, 5½ ft. overall, tip weight 6 ounces. Mounted with a locking reel seat, 3 stainless steel guides, stainless steel tip and a rubber butt cap. Trim red and white, with a maple grip. Packed in a cloth bag.

Each \$12.00


THE STRIPER — Same as PMSS except tip is 5 ½ ft. Packed in cloth bag.

Each \$13.00

SALT WATER BOAT RODS



No. 02710SS — A 2-piece salt water boat rod constructed from plastic impregnated tonkin cane. This rod has a shaped double grip and is mounted with a No. 8 reinforced humpback ferrule, one pair of stainless steel guides on tip joint and a stainless steel tip, decorated with maroon and red windings and a rubber butt cap. Packed in a cloth bag. Overall length, $5\frac{1}{2}$ ft.; weight $18\frac{3}{4}$ ounces.



No. 02706 — A flame finish, 2-piece boat rod, made from tonkin cane. This rod is mounted with one pair of stainless steel guides on tip joint and a stainless steel tip. A plain scored upper and lower grip with a locking reel seat. Has an extra heavy No. 9 ferrule and blue windings with an orange trim. Packed in a cambric bag. Overall length 5½ ft.; weight 175% ounces.

No. 02705 — A 2-piece boat, natural finish, made from tonkin cane. One pair nickel alloy guides on tip joint and nickel-silver top. New style single grip with locking reel seat. Mounted with a heavy No. 9 ferrule. Red windings only. Packed in paper bag. Rubber butt cap. Overall length 5½ ft.; weight 18% ounces.

No. 073 — A new 2-piece salt water boat rod, made from natu.... Consult cane. This rod is mounted with an extra heavy No. 7 ferrule, locking reel seat, plain scored double grip. One pair of steel or agatine guides on tip joint and No. 14 tip. Wound at the guides only in red and green. Rubber butt cap. Packed in paper bag. Length overall 5½ ft.; weight 1434 ounces.

Each \$9.00

No. 073 1/2 — Same as 073 except two metal or agatine guides in line on tip joint. Length 7 ft.; weight 16 3/4 ounces. Each \$10.00

No. 05769 — An inexpensive wood rod for the week-end fisherman, made from imitation Greenhart with improved 1" reel seat and a pair of metal guides on tip and metal tip top. Weight 13 ¾ ounces. Packed in a paper bag.

Each \$4.50

No. X08706 — A 2-piece medium weight imitation Greenhart Genuine Lancewood Rod. 1 pair metal guides on tip and metal tip top. Screw lock reel seat. Length 5 ½ ft.; weight 12 ¼ oz. Packed in paper bag.

Each \$7.00

SURF RODS



No. 118, SURF KING — The Surf King, a leader in the surf rod field. Constructed from impregnated tonkin bamboo, with a single grip and locking reel seat. Mounted with 2 stainless steel guides in line and tip, and a mushroom metal butt cap. Trimmed with gold and pongee. Packed in a canvas bag. 6½ ft. tip; weight 12½ ounces; 7 ft. tip; weight 14 ounces.



No. 98, WEST POINT — A high-grade surf rod, constructed from flame finish tonkin cane. 1 pair of stainless steel guides and reversible top. Improved locking reel seat with spring type butt. 6½ ft. tip. Weight 13 ounces. Packed in cloth bag.

Each \$17.00



No. 97, NORTH POINT — A medium-priced high-grade surf rod, constructed from flame finish tonkin stock. Mounted with a scored spring type butt with locking reel seat. Stainless steel guide and tip and trimmed with 2 color windings, black and orange, at guides and ferrules. 6½ ft. tip; weight 125% ounces. Packed in a cloth bag. Each \$16.00



No. 300, CORONADO DELUXE — A new live bait type surf rod, constructed from selected flame finish tonkin cane. Mounted with 5 stainless steel guides and a stainless steel tip. This rod has a walnut butt and foregrip and locking reel seat. 6½ ft. tip; weight 9¾ ounces. Packed in a cloth bag.

Each \$17.00

TUNA RODS



TUNA BAY — This rod is constructed from a double-built flame finish impregnated genuine tonkin cane. Mounted with a marbleized lower grip, brown felt wound upper grip and Gimble butt cap and double locking chrome reel seat. It has 5 stainless steel guides and a roller top; with red and black nylon wind, this rod presents an attractive appearance. 5 ft. tip; weight 16 ounces. Packed in a cloth bag.

Each \$50.00



No. X37 — Key Special Hickory Tuna Tarpon Rod. Built from straight grain hickory. A very strong rod for heavy deep sea fishing. 4 stainless steel guides on tip joint and stainless steel top. Mounted with locking reel seat, marbleized lower grip and cord wound upper grip. Special spar varnish finish. 5 ft. tip; weight 19 ounces. Packed in cloth bag. Each \$22.00

No. X570 — A 1-piece, detachable grip salt water rod, constructed from genuine lancewood, straight grain, extra strong. 2 nickel alloy guides on tip joint and nickel alloy tip. Mounted with 1" reel seat and scored type grip. Length of tip 6 ft.; weight 12 ounces. Packed in cloth bag.

Each \$11.00


No. X470 — A 1-piece non-detachable grip, salt water rod. Constructed from straight grain iron wood. 2-bell guides on tip joint and extra heavy salt water top. Mounted with double grip and skeleton reel seat. Length 6 ft.; weight 13 1/4 ounces. Packed in paper bag.

STEEL SALT WATER RODS



BONITO SUPER-TEMPER — A heavy duty salt water rod constructed from a superior grade of seamless tubular steel. Made in 3 weights, light, medium, and heavy. Rod is mounted with wound on stainless steel guides (3) and a heavy duty stainless steel tip. Tip is finished with a hardened bronze lustrous finish, resistant to corrosion and chipping. Detachable 19" butt, rubber butt cap. Length of light tip, 48"; medium tip, 51"; length of heavy tip, 54".

Each \$15.00



No. 1900, THE SALMON TROLLER—Solid steel salt water or fresh water trolling rod. Made with a double detachable corrugated wood grip, 3 wound-on stainless steel guides and tip. Tip is finished with a hardened bronze lustrous Each \$12.00 finish, resistant to corrosion and chipping. 5 ft. length only.


No. 190034, THE SALMON TROLLER — Same as No. 1900, except 4 stainless steel guides in line. Length 53/4 ft. Each \$14.00 Packed in cloth bag.



No. 750, TOP WATER ROD — This rod is constructed from a superior grade of seamless tubular steel, and is designed for the New York-New Jersey weakfish angler. It has a 45" tip joint, with a 19" wood corrugated butt and a locking reel seat. Mountings are stainless steel with two wound-on stainless steel guides and tip. Tip is finished with a hardened Each \$12.00 bronze lustrous finish, resistant to corrosion and chipping.




No. 88, THE DELAWARE BAY—A 2-piece heavy duty salt water rod. Constructed from seamless tubular steel. White enamel baked finish. One pair of stainless guides on tip joint and stainless steel top. Mounted with reinforced humpback ferrule, and locking reel seat. Green wind with black trim. Length 5 1/2 ft. Each \$18.00




No. 99, THE CHALLENGER - A 2-piece finely tempered tubular steel fly rod. Stepped down construction with bronze metal lustre finish. 3 tungsten snake guides on tip and 2 stainless steel guides on butt. Mounted with tenite locking reel seat. Wound green with black trim. Length 8ft. Packed in cloth bag. Each \$16.00

STEEL TELESCOPE RODS




No. 3308, THE MOHAWK — A 3-joint light weight steel telescope rod, with a maroon enamel finish. Reversible cork handle with plastic locking reel seat and steel guides and tip top. A new 1949 feature in this rod will be the proces-Each \$4.75 sing of the inner telescoping sections to prevent corrosion. Length 7 ft., collapsed length, 31".





No. 3309, THE MOHAWK - A 4-section steel telescope rod with gun metal blue finish, reversible cork handle with plastic locking reel seat, guides and tip. Length extended 8½ ft. Collapsed length, 32". A new 1949 feature of this rod will be the processing of the inner telescoping sections to prevent corrosion. Each \$6.00

STEEL RODS



No. 897DAA, MOHAWK CASTING ROD — A tubular steel casting rod with double cork grip and finger hook. Mounted with agatine guides and tip. Length: 4, 4½ and 5 ft.

Each \$5.00



No. 712R, THE MOHAWK — A 3-piece tubular steel rod. Green enamel finish. Mounted with 3 snake guides on tip section and reversible detachable grip and locking reel seat. Length 8½ ft. Packed in cloth bag. Each \$5.00



No. 711, STEEL BAIT ROD — A tubular steel bait rod, 3-piece, with a wooden grip and reel seat. Mounted with metal reel band and wire guides. Length: 6, 7 and 8 ft.

Each \$2.50



No. 2AADG, THE MOHAWK — A solid steel rod finished in baked green enamel. Mounted with agatine guides and tip. This rod has an offset cork grip with tenite upper grip and locking reel seat. Made in 4½ ft. and 5 ft. lengths.

Each \$5.00



No. 4SSDG, THE BULLSEYE — Solid steel rod with 1-piece blue metalustre finish. Mounted with steel guides and tip. This rod has an aluminum offset cork grip with tenite upper grip and locking reel seat. Made in 4, 4½ and 5 ft. lengths.

Each \$6.00



No. 6SSDG, THE RAINBOW — A solid-steel rod with an octagon 1-piece tip, mounted with stainless steel guides belmar style, chrome plated, and tip. Tip finished in hardened browntone Metalustre finish, resistant to corrosion and chipping. Tip joint trimmed with tapered plastic butt. This rod has a double-offset aluminum grip with cork lower grip, plastic upper grip and locking reel seat. Made in 4, 4½ and 5 ft. lengths.

Each \$10.00



No. 9SSDG, THE OZARK — This rod is designed for the angler who demands the maximum in "action" in a 1-piece tubular casting rod. Tip is 1-piece tubular stepdown type, best for all-around bait casting. This 2½-ounce feather-weight shaft of special alloy tubing is attractively finished in baked white enamel finish, resistant to corrosion and chipping. Tip is mounted with genuine carboloy guides, belmar style, black finish, wound with brown silk. The grip is a double-offset anodized cork grip with a coppertone upper grip and locking reel seat. This rod is made in 5 ft. and 5½ ft. lengths.

Each \$15.00



No. 8SSDG, THE FEATHERLIGHT — A seamless tubular steel casting rod. Tip mounted with metal guides and tip top. Cork grip, offset with locking reel seat. 5 ft. length.

Each \$8.00

REELS

No. 1103 - VERNLEY

A pre-war H-I favorite. New design, light weight, easy running. Made from Bakelite, with an adjustable click, metal gears and edges doubled to prevent line wear. Size 2 1/8"; weight 3 ounces. Capacity 60 yards. Each \$2.00



No. 1103

No. 1104 - NATIONAL SPORTSMAN

Another Bakelite reel with the same construction qualities as the Vernley. A splendid reel for the angler using heavier line. Size 3 1/8" high, 1 1/4" wide; weight 4 ounces. Adjustable click. 80 yards. Each \$3.00




No. 6

No. 1104

No. 1105 - STURDY

This reel is an English-style, sturdy-built fly rod reel, light and strong, die-cast from aluminum alloy. It has a removable spool, adjustable click. Size 3" high, 11/8" wide; Each \$3.00 weight 4 ounces. Capacity 40 yards.




No. 11

ratchet springs. Capacity 60 yards.

No. 1106 - THE MOHAWK


UTICA AUTOMATIC REEL

The Utica Automatic Reel is in a class all of its own. Through its light construction, larger capacity and heavyduty wearing quality; free stripping; capacity 50 yards of F fly line or 30 yards of GDG double-tapered line. Winding capacity 25 yards. Weight 61/4 ounces. The reel with the lightest weight and the greatest capacity of any automatic reels made.



No. 1105

- No. 5 . Aluminum finish Each \$7.00 Green anodize finish . . . Each \$8.00 No. 6
- No. 11 2" disc Dowell balance handle, adjustable \$.80 click, one in a box, bright finish. Each




No. 1106


No. 23N 40 yard spool, 2", 7/8" wide, with adjustable click, gun metal finish. Each \$1.10

No. 100

A new single action reel for the angler who desires a larger line capacity. Made from aluminum with a lacquer finish this reel has an attractive appearance. Reversible steel hardened click and hard brass spool staff assures double wear. Frame and spool are non-corroding aluminum alloy. Capa-Each \$5.50 city 100 yards; weight 5 ounces.



No. 23N



No. 100



ROD WINDING THREAD

High strength thread in beautiful bright colors for winding guides to rods. We recommend nylon because of its great strength and durability.



No. 166

No. 266 Winding Thread-Fine quality cotton thread 50 yards on a spool in assorted colors only_____Each \$.05

No. 166 Winding Nylon-Very fine and beautiful nylon thread available in all standard colors. 50 yards on spool___Each \$.10

No. 176A Winding Nylon — Fancy hinged lid box contains 3 dozen 50 yard spools assorted colors. A fine dealer item.

Each Spool \$.10

No. 167 Varigated Winding Nylon - Very fancy thread available in black and white, green and white, and red and black. 50 yards on spool, 1 dozen in box _____Each \$.20



SILK COLOR PRESERVATIVE

Nothing dresses up a rod more than bright colors in the silk windings. Most varnishes destroy the lustre and life of the silk windings. Abbey and Imbrie winding silk preservative sets the color to hold. Put up in 2-oz. bottles packed 12 in display box.





HIGHEST GRADE VARNISH

A good coat of varnish is necessary to protect bamboo rods. When the varnish chips and wears off, the guides work loose, and moisture destroys the life of the bamboo. This fine varnish will give excellent satisfaction. 2 oz. bottles____Each \$.30

FERRULE CEMENTS



Clarke's Famous Ferrule Cement

No. 16____Per stick \$.15

Ambroid Cement

Sticks anything to anything. 1 1/2 oz.

No. A-1 1/2 Ambroid___Each \$.40





14-23-00 14-23-01

Shur-Hold Ferrule Cement

A brand new plastic liquid cement. Extensive laboratory tests have shown this cement will hold longer than any other cement on the market. Sold in 2 oz. bottles, 1 dozen in a box.

No. 260 Ferrule Cement _____Each \$.30

WINDING CHECKS

14-23-02	14-23-04	14-23-08
	14-23-05	

Stock No.	Top Dia.	Bottom Dia.	Length	Finish	Each
14-23-00N	3/8"	5/8"	15/32"	Nickel	\$.07
14-23-00CH	3/8"	5/8"	15/32"	Chrome	.10
14-23-01N	7/16"	5/8"	7/16"	Nickel	.07
14-23-01CH	7/16"	5/8"	7/16"	Chrome	.10
14-23-02N	13/32"	17/32"	21/64"	Nickel	.07
14-23-04CH	17/32"	13/16"	5/8"	Chrome	.12
14-23-05CH	5/8"	13/16"	27/64"	Chrome	.12
14-23-08CH	13/32"	13/16"	1-1/16"	Chrome	.12



RING CORKS FOR GRIPS

Cork Rings for those who wish to glue and shape their own handles. Specie corks are best grade, mustard corks are good grade.

Stock No.	Quality	Dia.	Length	Hole	Each
14-26-01	Mustard	1 1/8"	1"	3/8"	\$.04
14-26-02	Mustard	1 1/8"	1"	7/16"	.04
14-26-03	Mustard	1 1/8"	1"	1/2"	.04
14-27-01	Specie	1 1/8"	1/2"	3/8"	.05
14-27-02	Specie	1 1/8"	1/2"	7/16"	.05
14-27-03	Specie	1 1/8"	1/2"	1/2"	.05

FINISHED CORK GRIPS





A-6



A-8

Fine quality finished cork grip made from specie grade cork. finely sanded and ready to go on the rod.

Stock No.		Style	Length	Hole	Each
14-27-11	Fly Rod Grip	A-1	6"	11/32"	\$1.00
14-27-12	Fly Rod Grip	A-1	6"	3/8"	1.00
14-27-13	Fly Rod Grip	A-1	6"	7/16"	1.00
14-27-17	Fly Rod Grip	A-3	6"	3/8"	1.00
14-27-20	Casting Rod Grip	A-3	5"	3/8"	1.00
14-27-21	Casting Rod Grip	A-6	41/2"	7/16"	.90
14-27-23	Foregrip	A-8	2"	7/16"	.65

WOOD ROD HANDLES

14-28-00		14-29-00
14-28-03		14-29-03
14-28-10	THE THEORY OF THE PARTY OF THE	14-29-10
14-28-06		14-29-06
14-28-12	11.111111	14-29-14
14-28-14		- O

Straight grained, seasoned, hardwood handles. Unfinished but sanded smooth. Foregrips not drilled.

Stock No.		Assembled Length	Reel Seat	Each		
14-28-00	Handle	17"	7/8"	\$.50		
14-29-00	Foregrip		7/8"	.35		
14-28-03	Handle	17"	7/8"	.50		
14-29-03	Foregrip		7/8"	.35		
14-28-10	Handle	161/2"	1"	.50		
14-29-10	Foregrip		1"	.30		
14-28-06	Handle	20"	1"	.80		
14-29-06	Foregrip		1"	.35		
14-28-12	Spring Butt	28"	1"	.80		
14-29-12	Foregrip		1"	.80		
14-28-14	Spring But	30"	1"	.80		
14-29-14	Foregrip		1"	.50		

ALUMINUM OFFSET HANDLE



Offset aluminum handle for casting rods complete with cork handles, plastic foregrip and No. 5 slide. No. 5—Aluminum Offset Handle Ea. \$3.20

FERRULES

Ferrules are carefully fitted in pairs. Price includes inner and outer ferrule. Extra inners are available at 1/2 cost of complete ferrule.





Humpback Ferrules-Brass Chrominum plated double reinforced No. 5-6-7, each \$1.00; No. 8-9, each \$1.10.

		Chrome Plated Welted-End Nickel Silver Straight Semi- serrated Ferrules	Rolled-End Nickel Plated Shouldered Ferrules	Rolled End Chrome Plated Shouldered Ferrules
No.	Size	Each	Each	Each
00	11/64"	\$.85	\$.50	\$.60
001/2	12/64"	.85	.50	.60
0	13/64"	.85	.50	.60
1	15/64"	.85	.50	.60
11/4	17/64"	.85		
11/2	18/64"	.85	.50	.60
2	19/64"	.85	.50	.65
5	24/64"		.60	.75
6	27/64"		.60	
7	29/64"		.60	.75
8	32/64"		.60	.80
9	36/64"		.65	.80
10	38/64"		.70	.00
11	40/64"		.70	
12	44/64"		.70	
13	46/64"		.70	
15	51/64"		.80	
17	57/64"		.85	

UNMOUNTED SPLIT BAMBOO STOCK

Hexagonal split-bamboo sticks, made from the finest Chinese Tonkin Cane, carefully inspected and straightened and ready for assembly.

Fly Rod Sets —	Butt, Joint	, Two	Tips
----------------	-------------	-------	------

	Size	Size	Tip Size	Per Set
Flame	7/16	11/2-001/2	6	\$6.50
Impregnated	3/8	11/2-00	5	9.00
Impregnated	7/16	2-0	51/2	9.00
Two P	iece Fly R	lod Sets		
Flame	3/8	001/2	51/2	\$4.00
Browntone				8.00
Brown			7	7.00
Two Piec	e Casting	Rod Sets		
Flame	7/16	2	7	\$5.00
Flame	7/16	2	7	5.00
Impregnated	7/16			7.00
Impregnated	7/16	2	7	7.00
One	Piece Ca	sting		
Flame	29/64		9	\$7.00
Natural	30/64		10	3.60
Two Pier	e Boat R	od Sticks		
Flame	48/64	9	18	\$6.00
	Two Piece Flame Browntone Brown Two Piece Flame Flame Impregnated Impregnated Two Piece Natural Two Piece	Two Piece Fly R Flame 3/8 Browntone 7/16 Two Piece Casting Flame 7/16 Two Piece Casting Flame 7/16 Tyles 7/16 Tyles Tyles	Impregnated 7/16 2—0	Two Piece Fly Rod Sets Flame 3/8 00½ 5½ Stylem 5 5½ 5 5½ 5 5½ 5 5½ 5 5

One Piece Boat Rod Sticks

Stock No.	Finish	Butt Size	Tip Size	Length	Per Set
09	Impregnated	46/64	18	4½ ft.	\$8.00
07	Flame	46/64	18	41/2 ft.	6.00
08	Impregnated	32/64	12	41/4 ft.	7.00
0P	Flame	38/64	12	41/6 ft.	6.50
05	Flame	26/64	10	31/4 ft.	5.00
030	Flame	40/64	10	6½ ft.	8.00
	Surf	Casting S	ticks		
018	Impregnated	44/64	18	6½ ft.	\$11.00
019	Flame	57/64	18	6½ ft.	8.00
T.S.D.B.	Impregnated	62/64	22	5 ft.	11.00
020	Flame	38/64	10	51/2 ft.	7.00
021	Flame	44/64	14	51/2 ft.	6.50
022	Impregnated	44/64	12	51/2 ft.	8.50
01T	Impregnated	25/64	7	51/2 ft.	7.20
03F	Flame	25/64	7	51/2 ft.	6.00
023	Natural	32/64	10	51/2 ft.	7.50

REEL SEATS



Nickel Plate Brass Reel Seats with Raised Ribs

No. 1T-3/4" tapered hood for single grip . . . Ea. \$.85 No. 1B-3/4" with open hood for double grip . . Ea.

New Ideal Plastic Reel Seat

No. 11 Fly Rod Seat, 3%" and $\frac{7}{16}$ " hole . . . Ea. \$1.20 No. 11C Bait Seat, open hood $\frac{3}{2}\%$ " and $\frac{7}{16}\%$ hole . Ea. 1.20



Fancy Light Weight Plastic Reel Seat

No.	12 - 3/8" Fly Rod Seat, 3/8" hole.		Ea.	\$1.30
No.	$12 - \frac{7}{16}$ " Fly Rod Seat. $\frac{7}{16}$ " hole.		Ea.	1.30
No.	12C-3/8" Bait Rod Seat, 3/8" hole.		Ea.	1.30
No.	12C—16" Bait Rod Seat. 76" hole.		Ea.	1.30



No. 11BL - New type positive locking, for use on Japanese or Calcutta poles____Each \$.50



N N No. B - Brower's Reel Holder, plain nickel plated brass seat for use on cane poles____ Ea. \$.25

Rolled Thread Salt Water Seat






Light weight highly polished and chrome plated positive locking reel seat for salt water rods. Supplied with open hooded band, and without ferrule for use on two-piece boat rods.

No.	25N-3/4"	size,	open	hooded	band			Ea.	\$1.50	
Vo.	26N-7/8"	size,	open	hooded	band			Ea.	1.70	
No.	27N-1"	size,	open	hooded	band			Ea.	2.00	

Supplied with inside reinforcement and ferrule as illustrated for detachable grip rods.

No.	26TN-7	8"	size	with	No.	15	slide		Ea.	\$2.00
No.	27TN-	1"	size	with	No.	17	slide		Ea.	2.25

Improved Cut Thread Seats





An extra strong, highly polished chrome plated reel seat for salt water rods with an extra long adjustment so it will hold both large and small reels. With retrieving hood supplied with open hooded band without ferrule for use on two-piece Boat Rods.

56N-7/8"	size,	open	hooded	band			Ea.	\$2.25
57N— 1"	size,	open	hooded	band			Ea.	2.40

Supplied with inside reinforcement and ferrule as illustrated for detachable grip rods.

56TN-78" size, with No. 15 slide.			Ea.	\$2.70
57TN— 1" size, with No. 17 slide.			Ea.	3.15
59TN-1 1/8" size with No. 20 slide			Ea.	4.00



LEATHER THUMB BRAKE

Silver Metal Clasp-Faced with Rawhide No. 101-11/2 to 118 inch at clasp. Each \$.35

No. 102-118 to 2 inch at clasp.

Éach \$.40

No. 103-2 to 21/4 inch at clasp.


Each \$.45

Agat

No. I

TIPS-The numbers indicate INSIDE diameter of the tube in the 64ths of an inch


Sizes in 64ths Inch Illustrated Sizes of Tops



This System of Numbering Applies to All Tops



								•			
tine											
N -	Size	12								Each	\$.30
	Size	14								Each	.32
	Size	16								Each	.35
	Size	18								Each	.40
	Size	20,	22,	24						Each	.45
	Size	26,	28,	30	, 3:	2				Each	.50



Agatine Fly Tip-Style No. QQ



No. QQ-Agatine, 5 to 8. Each \$ 20

Style AS-Nickel Plated Steel Tip



No. AS-Sizes 5 1/2; 6, 7, 8 Each \$.20

Style No. G-Nickel Silver



		No.	G-	–Si	zes	12	to	30	
Size	10.	12						Each	\$.20
								Each	
Size	18,	20						Each	.25
Size	22.	24.	26.	28	. 30)		Each	.30

Agatine Tip No. V-German Silver



No. V-Agatine 5 to 12 Each \$.25




Tool Steel Chrome Plated Tip

No. Z-Sizes 5 1/2 to 9 . . Each \$.30

Hard Steel Tip

No. U-Sizes 5 1/2 to 9. Each \$.25

No. GG-Nickel Silver



			Siz	es]	2	to .	30		•
Size	10,	12						Each	\$.20
Size	14,	16						Each	.22
Size	18,	20						Each	.25
Size	22.	24,	26,	28	, 3	0		Each	.30

Agatine Tip No. SS



No. SS-Agatine, sizes 5 to 10

Each \$.25

Agatine Tip



No. X Each \$.20



1/0 2/0 No. 80-Perfection Steel Guides Per Dozen \$.35 . . Per Dozen .30 No. 80A .

ROUND WEDDING RING BANDS

Wire Frame, Spot Welded Strongest Bass Rod Guides Made



No. 04 10 mm Stone

GUIDES

No. 03 9 mm Stone

No. 02 8 mm Stone

No. 01 7 mm Stone Each \$.30


No. 01 to 04 **FLY ROD**

Light and Strong

No. 140

No. 141 Each \$.20

AGATINE GUIDES - FLAT BANDS




MOHAWK G. S. SOLID-FRAME BROAD AGATINE GUIDES



Each \$.20 No. 2900 to 2903. .20 Each No. 2904 to 2905.

GUIDE AND TIP ASSORTMENTS



No. 1225—Nickel Alloy Steel Assortment. 3 Dozen Asst. Tips and Guides in box . Each



STAINLESS STEEL GUIDES AND TIPS

Made from Nickel Chrome 18-8 Stainless Steel

GUIDES



Ring 7mm

No.	798	Ring size	7mmEach	\$.30	
No.	799	Ring size	8mm Each	.30	
No.	800	Ring size	8mmEach	.35	
No.	801	Ring Size	10mmEach	.35	
No.	802	Ring size	11mm Each	.40	
			12mmEach	.40	
No.	804	Ring size	14mm Each	.45	

No. 809 Ring size 24mm ____

STIRRUP TIPS



No. SSG10	
No. SSG6Each	\$.40
No. SSG7Each	.40
No. SSG8Each	.40
No. SSG9Each	
No. SSG10Each	
No. SSG12Each	.45

Each

Each

.55

.65

OFFSET TIPS



		-
No	SSGG10	

No.	SSGG5Each	\$.28
No.	SSGG6Each	.30
No.	SSGG7Each	.30
No.	SSGG8Each	.30
No.	SSGG9Each	.35
No.	SSGG10Each	.35
No.	SSGG12Each	.37

No. 808 Ring 22mm No. 805 Ring size 16mm Each \$ No. 806 Ring size 18mm___ Each .50 No. 807 Ring size 20mm No. 808 Ring size 22mm .50 Each


STIRRUP TIPS-S.W.



No 9	SSGZV

No.	SSG14Each	\$.45	No.	SSG22Each	\$.55
	SSG16Each		No.	SSG24Each	.60
No.	SSG18Each	.50	No.	SSG26Each	.60
No.	SSG20 Each	.55			

REINFORCED TIPS-S.W.



No. SSTA22


No.	SSTA18	Each	\$.80	No. SSTA24Each	\$.85
No.	SSTA20	Each	.80	No. SSTA26Each	.90
No.	SSTA22	Each	.85	No. SSTA28Each	.90

New Stainless Steel



R-16-18-20-22Each	\$1.80
R-24-26-28-30-32Each	2.00

REINFORCED TIPS



No. SSTA10

No.	SSTA51/2Each	\$.45
No.	SSTA6Each	.45
No.	SSTA7Each	.45
No.	SSTA8Each	.45
No.	SSTA9Each	.45
No.	SSTA10Each	.45
No.	SSTA12Each	.45
No.	SSTA14Each	.50
No.	SSTA16Each	.50
No.	SSTA18Each	.55

OFFSET TIPS-S.W



No.	SSGG14Each	\$.40	No. SSGG22Each	\$.65
No.	SSGG16Each	.40	No. SSGG24Each	.70
No.	SSGG18Each	.45	No. SSGG26Each	.70
No.	SSGG20 Each	.65		


SURF ROD TIPS-S.W.



No	CHS1	,
TAO.	Cupi	τ

No. CHS14 with 18mm RingEac	h \$1.35
No. CHS16 with 18mm RingEac	h 1.45
No. CHS18 with 18mm RingEac	h 1.45
No. CHS20 with 18mm RingEac	h 1.45
No. CHS22 with 18mm RingEac	h 1.45
No. CHS24 with 18mm RingEac	h 145
No. CHS16-24 with 24mm RingEac	h 1.60
No. CHS18-24 with 24mm RingEac	h 1.60
No. CHS20-24 with 24mm Ring Eac	h 1.60
No. CHS22-24 with 24mm Ring Eac	h 1.60


NICKEL ALLOY TIPS



Sizes SG7 to SG12 No. 7. 8_____Each \$.20 No. 9, 10, 12_____Each .20

Showing Sizes of Stone in MM as on this Page and Next

DEALER'S ASSORTMENT



No. 14 F Ferrule Assortment — An assortment of nickle silver ferrules in popular sizes. Put up in an attractive box and contains 1 dozen each $00, 00\frac{1}{2}, 1\frac{1}{2}$ and $\frac{1}{2}$ dozen 0. 1. 2.


Each \$18.00




No. SIA Swivel and Link Assortment—An assortment of barrel swivels, snap swivels and connecting links. Put up in a durable plastic hinge cover box. No. S-1-A assortment contains the following barrel swivels—1 gross each No. 10, 6, 4; snap swivels—1 gross each No. 10, 6; and two gross of connecting links.

Each \$35.10

NICKEL ALLOY GUIDES



4401	to	4404E	ach	\$.20
4405	to	4406E	Each	.25



NEW BELL GUIDES No. 85


No. 85—Bell Guides made from German Silver.





No. 05F Guide and Top Ass't contains the following: 4 U5 Perfection Fly Tops. 8 U5 ½ Perfection Fly Tops. 8 U6 Perfection Fly Tops. 4 U7 Perfection Fly Tops. 2 gross 80A Snake Guides. 6 Stripping Guides. Each \$12.00


No. 06C Casting Guides and Tip Ass't contains the following: 3 SSTA 5½ Tops. 3 SSTA 7 Tops. 3 SSTA 8 Tops. 3 SSTA 9 Tops. 12 798SS Guides. 6 799SS Guides. 6 800SS Guides. Each \$13.00




No. 41 Spinner Guide Assortment — Triple plated hard chrome French style guides.

Each \$3.00

SALT WATER GUIDES



No.23 V	WR—22 MM	No. 22 WR—18 MM	No. 21 WR—1	7 MM
21 to	22		Each	\$.40
23 to	24		Each	.45



NICKEL ALLOY GUIDES

200	to 203	Each	\$.15
204		Each	.15