

CASTING A FLY

N fly casting you do not cast the fly. You throw the line. The idea is to throw the line straight ahead of you, so that when it is fully extended, it will fall on the water lightly—with the fly on the remote end. A common fault of fly casting is to thrash the line down on the water.

As in bait casting, imagine you are trying to throw the tip of your line, like a whip lash, high over a barn.

When you begin the back cast, the rod is down straight in front of you. When you finish the back cast, the rod is not held far back behind you but stopped abruptly and smartly almost straight up perpendicularly. You wait an appreciable moment while the long line straightens out behind.

Then you make the forward cast, not creeping the rod tip forward, but with a smart, straight-forward drive.

Imagine the face of a clock. In making the back cast, your rod rises, like the hand of the clock, from nine o'clock to one o'clock. But in that movement, the actual cast is made by a sharp cut or drive of the rod between ten and twelve o'clock. The same in the forward cast. You make the cut or drive forward, starting at twelve o'clock and stopping sharply at ten-thirty, merely following down with the rod after the cut forward has been made.

It is this short, sharp cut or drive, both in the back cast and the cast forward, which effects that beautiful, straight-out throw of the line so that the fly falls lightly at the end of a straight line, exactly in the desired spot.

The main cast or speed in casting both forwards and backwards takes place between half-past X and XII o'clock, but the entire cast forwards and backwards should be perfectly smooth throughout, and entirely free from jerk or effort.

The pause at the top of the back cast is equal in length to the time taken to cast the line back.

The hold of the rod should be with the fingers as far as possible and not in the palm of the hand. Thumb always at the back of the rod.

The grip should be as easy as it is in holding a cricket ball or stone in the act of throwing.

The actual course of the rod should be confined to a quarter circle in the back cast or lift, and also in the forward cast. While the line is extending behind, the rod must be allowed to remain steady and not brought forward in the slightest degree. Failure to observe this rule is one of the commonest faults, and in every case the result is shown, in that the line does not straighten out on the water.

The cast should always be made forward, not down. Our object is to overcome the resistance of the air and to do this not by the application of force, but rather reason. We know that a needle is sharp at the point, also that except for special purposes it is straight, therefore, we require that the entry or forward curve of the line shall be narrow, and that the line following shall be straight. The cut forward means that the tip of the rod travels almost straight during this cut and results in a narrow entry or curve. If, as is usually done, the drive is made downwards we obtain a wide curve or entry, and when casting against a wind it is a question of whether we can apply sufficient force, or in other words, whether we or the wind is the stronger.

Also this drive forward ensures that the tip of the rod is used as it should be. To obtain a straight following line it is necessary that the line be fully extended behind in the preliminary back cast, and that the forward cast does not commence with a jerk or kick off. It must be short and quick but absolutely smooth.

DRY FLY FISHING.

It is most gratifying to note that dry fly fishing is each year becoming more and more popular. There is no form of fly fishing requiring greater skill and efficiency combined with deservedly greater satisfaction than this advanced school of dry fly-fishing. To those ardent sportsmen who are not familiar with this interesting development, we address these remarks and offer a few practical hints.

- 1. Use only one fly at a time.
- 2. Never start to practice dry fly fishing down-stream—you must fish up-stream if you wish to become a successful user of the "floater".
- 3. Use a heavy double tapered line from 30 to 40 yards. It should be of the best silk, thoroughly water-proofed. The line is lengthened gradually by making a number of false casts in the air, not allowing the fly or line to touch the water. You will be surprised at first the extra amount of casting power you have. Do not overdo it. Let the rod do its work.
- 4. Always bring the line up a little at the end of a cast to allow the fly to drop lightly on the water ahead of the line and pick it up again very carefully.
- 5. Dry the fly each time in the air, making a few false casts.
- 6. Never allow the fly to alight until you are sure it will settle down in just the right spot as intended.
- 7. Allow the fly to float down or be taken up by the current, just as a natural fly would act, without a drag from the line.
 - 8. Try all the steady flowing pools and glassy glides.
- 9. Let the fly float well over and behind the likely spot where a fish may be lying, before picking it off the water for a fresh cast. Very frequently a trout will let the fly pass him and then turn with a ravenous rush.
- 10. Last of all. When you go a-dry-fly fishing, study to be quiet and keep out of sight.

You will need a rod fairly long and quite powerful as it is often necessary to cast a long line. The line as described above under paragraph 3. Any good easy running fly reel. Light leaders, 9 feet long. Floating flies on eyed hooks with or without snells. Eyed fly box. Tweezers and gut cutters. Mucilin Line Dressing for floating the line. Mucilin Dry Fly Oil. Landing net. Basket. Waders, etc.

THINGS TO REMEMBER IN FLY FISHING.

Trout do not feed early in cold weather.

Trout always lie with their heads upstream. Big fish keep to the pools and eddies except at night. Small fish love the riffles. When snow-water is running into the stream you might as well stay home. Imitate the flies on the water as much as possible. Arrange your cast so that one fly will be on the surface and one fly sunken.

Never work your flies against the current—let them follow the natural direction. Keep out of sight all you can; keep the sun in fort of you. Don't overcast your water—fish along to profess the profess to the control of the sun in fort of the

fish close to you at first.

When you "strike" a fish don't yank—a slight twitch of the rod is enough. Don't "hold hard" in rough water—play your fish with an easy bend of the rod and you will save the big ones.

When you have a big fish on, work down-stream with him to a pool or back-water. Keep a taut line and an uppull all you can. Fish up-stream or with the wind wherever possible. Cast your flies lightly, allowing them to strike the water first and hold your line out of water all you can. Checking the cast before it has fully extended will cause the flies to strike first. When landing a fish, net him from behind.

If you get a "rise" from a good fish and miss him, wait a few minutes before casting again. It is waste of time to fish quiet pools when the sun is bright unless the surface is ruffled by a breeze.

If you find the fish taking one particular fly well, put another of the same kind on your cast. Kill your fish as soon as captured by breaking his neck.

BAIT FISHING ON THE STREAM.

You need a light bait rod, multiplying reel and a braided silk line. Medium weight leaders of good length, single gut. Single snell hooks, sizes 6 to 2, sproat or sneck. Large and small split shot. Swivels. Bait box. Insect box. Disgorger. Basket and sling strap. Landing net, waders, etc.

Air Fed Minnow Pail

Double Floating Pail. A few strokes of attached pump supplies sufficient air to keep Minnows alive 6 hours.

No. 3426 Each \$5.25



New Single Action Reels



Single action. Attractive, durable and rigid. Embossed plates, provided with patented line notch for fastening line to reel. Attached to bamboo or wood pole with small screws. Fits standard sizes of bait casting rods. Diameter spool 1½", length of pillars inside frame 1". Permanent click. Capacity 80 yards of averaged sized line. Weight 2% oz. Duco finish, assorted colors.

No. 3606 Each 50¢



Single action. Combination trout and casting reel, quickly attached with small screws. Fits standard bait and fly rods. Novel base and spool support, with guide arms to confine line to width of spool when retrieving. Unusually durable. Adjustable click—operated by thumb. Diameter spool 2", width %", height 2\%". Capacity 80 yards of average line. Weight 2\% oz. Duco finish, various colors.

No. 3615 Each 75¢


A. L. & W. Simplicity Single Action Reel

Single action simplicity Reel, strongly constructed of hard steel, nickel finished, large drum, free running, capacity . 50 yards.

No. 3601 Each 55¢

No. 3602 is the same as No. 3601 above, but has optional click and 60 yard capacity.






A. L. & W. Litewaite Reel Single Action

Our special value lightweight fly and bait fishing Reel. Strong and reliable. The openwork construction has the advantage of drying line quickly. Can be instantly taken apart for oiling with a dime. New Utilite Nickel finish, does not reflect light.

No. 3661—60 yards . . Each \$1.50 No. 3663—80 yards . . . Each 1.75



A. L. & W. Single Action Reel



A very strongly constructed brass Reel, single action, optional click, highly polished nickel plate, solidly constructed screwed frame. Splendid value.

 No. 3635—Capacity 40 yards.

 Each
 \$1.75


 No. 3636—Capacity 60 yards.


 Each
 2.00

 No. 3637—Capacity 80 yards.


 Each
 2.15

A. L. & W. Featherlite Single Action Reel





A. L. & W. "Expert" Reel




Very strongly constructed of brass, black finish. The drum is of the open ventilating type, removable with a dime, or knife. The outer spring band acts as a strong brake when pressed with thumb. Tool steel gear and click pawl; 3 inch spool, optional click. Capacity 150 yds. No. 3651 ... Each \$5.00

A. L. & W. Ideal Reel


German silver single action reel, 120 yards capacity, optional sliding click, steel gear, phosphor bronze spring, reinforced bearings, perfectly centre balanced. Taken apart with a dime in five seconds. Open construction makes reel virtually its own line dryer.





"Modern" Level Winding Anti-Backlash

"It Thumbs and Spools Automatically"




A special adjustment controls the freedom of the spool in accordwith ance the weight of the lure used It is anti-backlash and level winding, has double handle, and is constructed of the finest metals. Weight 7 ozs. Capacity 100 yds.

No. 3883

..... Each \$6.00

South Bend Anti-Backlash Level Wind Reel




No thumbing or spooling necessary. Indispensible to the novice; a wonderful help to the old-timer. Combines all features of the South Bend anti-backlash device and the Shakespeare level winding reel in one. Steel pinion gear and pivot. Screw-off journal caps, adjusting spring tension anti-backlash device. Capacity 100 yards 18-lb. line.

No. 3854 Each \$7.50

Martin Automatic Reel

Bait or Fly




For over 30 years this reel has been the "Standard Automatic Reel of America." Automatics have come and gone, but the supremacy of the Martin has never been challenged. It is the lightest, strongest, simplest, most durable

and responsive automatic reel made. Such exclusive features as its brake lock, brake release, spring throwoff, Tungsten line protector, make it the only perfectly reliable and satisfactory automatic reel made. Made of aluminum, brass, nickel and steel. Booklet giving full detais and particulars furnished on request.

No.	Cap	pacity	With Guard	Without Guard
			Each	Each
3895	60 ft.	G Line	\$7.00	\$6.25
3897	90 ft.	G Line	8.00	7.25
3898	150 ft.	G Line	9.00	8.25
3899	225 ft.	G Line	9.50	8.75
3896	-250 ft.	Light Trolling	Line	13.50

Pflueger "Supreme" Level Wind Anti-Backlash Reel




A lifelong service built into the most handsome, lightest, strongest and greatest capacity reel made. Made of Nickalum; all wearing parts of finest tool steel, tempered and lapped to fit. Tension oil caps, simple positive integral anti-backlash

feature, phosphor bronze bearings, cork arbor spool, filler supplied with each reel; 1%" pillar, 2%" plate.

No. 3870 Each \$27.50

Chief Dowagiac. No. 4


"The Reel with the Mechanical Thumb"



The mechanical thumb is a simple anti-backlash device, adjustable to any weight, which relieves the angler of constant thumbing, and is fool-proof. A reliable, serviceable, up-to-date Reel at a moderate price. Wearing parts chromium-plated; steel click assembly spool; journal caps adjustable and have genuine agate jewel bearings. Capacity, 100 yards.


No. 3871 Each \$15.00

Shakespeare "Champion" Level Wind Trolling Reel



Built on the same general principles as all Shakespeare level winding reels, but larger, heavier and stronger. Adapted especially for trolling. The Shakespeare high standard of quality is maintained throughout. Polished nickel finish. Length of pillar, 1 13/16"; diameter of plates, 3"; diameter of spool, 2\frac{1}{4}"; capacity, 200 yards No. 9 Cuttyhunk, Weight, 16 4/10 ozs.

No. 3880 Each \$13.50




Amateur Trolling Reel

No. 3991 Each \$2.50


Upright Pattern

Nickel plated trolling reel, 200 yards capacity; 4%" x 1", with drag. This reel fits on to reel seat in upright position, just like an ordinary reel. Heavy and substantial. Excellent for trolling for big fish with wire line.

No. 3993 ... \$3.50




A. L. & W. Amateur Reel



Substantial, correctly-designed reel for wire line trolling, at a low price. Satin finish. Width of spool 1", diameter about 5"; capacity, 250 yards 23 gauge copper wire.

No. 3990 **\$2.25**Supplied with metal Line Guard. Ea. **\$3.25**

Wood Trolling Reels




This reel is fast gaining in popularity for trolling for large fish, both deep with copper, and with linen and silk for lunge and pike. It is made of solid mahogany, beautifully finished, brass bound throughout, 80 that it cannot be affected by climatic conditions. Of centre pin construction, it is very easy running. Tool steel pinion, heat treated and hardened, run in by hand on hard brass bearing. Patent

line guard. Steel gear and pawl. Very heavy click spring. Substantial handle of polished hardwood. Click optional. Supplied in the following sizes:—

No. 3995

Size					Each
$3\frac{1}{2}$ "—Capacity,	100	yards	copper	wire	\$6.50
4" —Capacity,	150	yards	copper	wire	7.50
				wire	
5" —Capacity,	300	yards	copper	wire	9.50
51/2"-Capacity,	500	yards	copper	wire	10.50


Multiplying Trolling Reels



This is a very heavily constructed brass reel, heavily nickel plated and especially adapted for trolling. It has large gears to give long life. Optional click and drag, solid oil caps, balanced crank, ebony handle, raised pillars. Heavy duty screws throughout.

No. 3998-200 yards capacity		Each	\$5.00
No 3000_300 vards canacity	7	Each	6.00

A. L. & W. Zephyr Fly Reel




Finest quality English-made reel of centre pin construction. Bronzed aluminum back and spool, optional click. Click spring and pawl of best tempered tool steel, arranged with high tension against the fish, low tension when winding in. Extra large drum for rapid winding; nickel steel line guard. Fastest, smoothest-running reel made. Highest quality finish throughout. Truly a lifetime reel that will give unending satisfaction. Supplied in two sizes.

No.	3945—3"		•	٠	•	• 1		٠	•	•		•	•	•	•		•			•	•	Each	•	\$12. 0	0
	31/2	"				• 1			•	٠	٠		•		•							Each		13.5	50

A. L. & W. Flycaster Reel


Bronzed aluminum cage and spool, hard bronze bearings and spool bushings, steel pawl and click spring. The whole machined with absolute precision to perfect fit. Runs very smoothly, extremely light and strong. A highest grade English reel at the price usually asked for the cheaper type of reel offered on this side of the water.

No. 3948 'Size, 3"—45 yds....Each **\$6.50**



Same as above, but in 3½" diameter, with much contracted drum, especially adapted to Dry Fly fishing.

No. 3949 Each \$7.50




Dove Reel

This is a very fine specimen of English manufacture, all aluminum. Revolving plate reel, horn handle, tool steel click spring, pawl and ratchet; large drum bronze brushed and running on tool steel pivot. Optional click, horn handle. Finished bronze outside, bright aluminum inside and edges. No. 3915—

21/2'	' 40	ydsEach	\$6.00
3"	— 75	ydsEach	7.50
4"	-125	ydsEach	10.50

Hardy's Patent Contracted "Perfect" Reel

Designed for Dry Fly and general Salmon-Trout Fishing



This beautiful reel bears the imprimature of Hardy Bros. Much contracted drum, genuine agate line guard, unique regulating check. Ball bearings throughout. It is the ideal reel for fighting powerful fish, giving line unwillingly and taking it in fast. It is made beautiful ma-Will take terials. apart instantly to clean.

No. 3960

Size	Capacity	Weight	Each
27/8"	30-40 yds.	4½" oz.	 \$16.00
31/8"	40-50 yds.	6 oz.	 17.00
33/8"	50-60 yds.	7 oz.	 18.00
35%"	60-80 yds.	91/4 oz.	 20.00

Hardy Perfect Salmon Reel


Has all-metal revolving line guard to facilitate the running of the line, otherwise exactly same as above illustration. The lightest, strongest and most elegant Salmon reel made, with the largest line-carrying capacity. Size, 4"; weight, 13 ozs.

No. 3960— Each \$25.00

Sturdy Reel


English made, all aluminum Fly Reel. Handsome in appearance, beautifully finished. Solidly constructed, and will stand lots of hard work. Large spool. Stationary steel click assembly. True to illustration. Side plates outside finished black edges, and inside finished bright aluminum. Substantial horn handle.

nanu	ie.	
No.	3910	
21/2"-	-Capacity,	40 yds.
		Each \$4.25
3" .	-Capacity,	75 yds.
		Each 5.25



Salmon: 3½"—Capacity,	100	yards	Each	\$	6.75
4" —Capacity,	125	yards	Each		9.00
41/2"—Capacity,	150	yards	Each	1	0.00

English | onze Rotary Reels



Finest quality bronzed, revolving, rotary plate Reel. Strongly built and beautifully finished. Will last a lifetime. Stationary click steel assembly. A very substantial, handsome, imported fly or bait Reel at a moderate price.

No. 3900-

21/4"-Capacity, 50 yds. Each \$2.35 21/2"—Capacity, 60 yds.Each \$3.00 -Capacity, 90 yds.Each \$3.50 Salmon sizes:

3½"—Capacity, 110 yds..... Each \$5.25 4" —Capacity, 150 yds...... Each 7.50


Ebonite Rotary Reels

An old favorite which never loses its popularity. Bronzed rotary end plate, bakelite back plate, German silver bound steel click assembly. A strong, handsome, serviceable Reel which will give endless satisfaction. No. 3905-21/2" Sizes:



Each \$5.00 \$6.00

Plug Tournament Casting Weight



Official size and type Casting Weight used in plug tournaments by the National Association of Scientific Angling Clubs. Made of wood with white

Reels—Cheap and Dear

When you buy a cheap Reel, the cheapness is not the result of a miracle, but of the cheap materials and moderate workmanship that went into its making.


If a cheap Reel goes bad on you at a critical moment on a fishing trip, far from assistance, it is dear, indeed.

We cannot undertake to repair the cheaper grades of Reels. You buy a cheap Reel as you bet on a horse, in the hope of good luck. We handle cheap Reels for boys and for infrequent and casual anglers. It is all they require. But if you are a frequent angler, please don't make the mistake of gambling on a cheap Reel. "Invest" in a good one. Take good care of it. Clean it after every day's use, be especially careful to keep it free of sand and grit on the gear and running parts. After taking apart, be careful to put it together properly. Do not cast with click on or it will quickly wear out. Observe these few hints and your reel will give you a long, efficient service with a minimum of expense for repairs. Don't wait until Reel refuses to work before sending it to us for overhauling.



Oil Can

Convenient size for tackle box. Just the thing for keeping reels well oiled. No. 5543 Each 25¢.



Rest Clamp

Strong nickel-plated on spring brass for clamping reel securely to rod handle. Invaluable for bait casting and trolling.

No. 5562 Each 50¢.



Reel Bag

A fine quality velvet-lined waterproof cloth bag with draw strings. Better than leather for all types of multiplying and level wind casting reels. No. 4056..... Each **50¢.**

Perfection Rod Case



This case is exactly what its name implies. It is by far the finest, strongest case made, affording absolute protection to the rods. Made of genuine heavy cowhide over an extra heavy seamless aluminum tube, insuring against bending or denting. Handstitching throughout, heavy brass padlock buckle, strap handle heavily stitched and rivetted, removable adjustable shoulder strap of solid leather. The strongest and lightest case made. Length, 42" and 45"; diameter, 4", to hold 4 to 6 rods. Other lengths made up to order in one week. No. 4085 Each \$25.00

A. L. & W. Utility Rod Case



Heavy solid cowhide case, with heavy aluminum tube lining, handle and lock buckle on lid. Length, 42" and 45", in two sizes. Hand stitched throughout. No. 4080-1%" in diameter, to hold 1 rod... Each \$15.00

21/4" in diameter, to hold 2 rods. Each 18.00 A. L. & W. Special Aluminum Rod Case



Heavy aluminum tube, hand sewn cowhide caps, one fixed, the other acting as a lid with strap and buckle fastener. No. 4075-

Diameter, 1%"; length, 39"; capacity, 1 rod-Each \$3.50 Diameter, 21/4"; length, 42" and 45"; capacity, 2 rods Each \$5.00

Diameter, 4"; length, 42" and 45"; capacity, 4 to 6 rods Each \$10.00

Parts For Steel Rods

No. 4200-Canuck Rods-Tip or Centre Joint..... Each \$.60 Butt Joint and Handle.... Each .90 No. 4205-9-Standard Rods-Handles Each 1.00 Handles, reversible Each 1.50 Joints, plain..... Each 1.00 Agatines, extra Each .35 Telescope Rods-Reversible Handles..... Each 1.75 Joints, plain..... Each 1.35 Agatines, extra Each .35

Prices for parts of other Steel Rods listed in catalog on request.

Japanese Bamboo Poles



Len	gth	No. in Bundle	Weight per Bundle	Per Pole
12 f	eet	100	58 lbs	15¢.
14 f	eet	100	80 lbs	20¢.
16 f	eet	50	55 lbs	30¢.
18 f	eet	50	70 lbs	40¢.
20 f	eet	50	90 lbs	45¢.
22 f	eet	50	100 lbs	50¢.
24 f	eet	25	125 lbs	75¢.

Please Note Packing, as we only ship original bundles.

Smaller quantities must be called for.

Jointed Bamboo Rods

JSO2
The state of the s
No. 4500—Two joints, brass ferrules, 7 and 8 feet long Each 35¢.
No. 4501—Two joints, selected bamboo, 7 and 8 feet
long, brass ferrules Each 40¢.
4525
the second secon
No. 4505—Selected Bamboo, 3 joints, brass ferrules, length 9 ftEach \$.50
No. 4511—Selected Bamboo, 3 joints, length 10½ ft., brass ferrules, water mottledEa75
No. 4525—Selected Stock, 3 joints, length 10¼ ft., full mounted, with brass ferrules, line guide and reel seat. A very complete and useful rod

Split Cane Trolling or General Purpose Rod



Superior quality split cane, heavy weight, two joints, length six feet, cork handle, solid nickel-plated reel seat and ferrules, large line guide, all in cloth partition bag. This is an excellent rod of rugged construction for heavy trolling or general purpose fishing, at a reasonable price.

No. 4610 Each \$3.25

A. L. & W. "Transcanada" Trolling Rod



Highest quality Tonkin cane, six-strip construction. Extra heavy weight for heavy fishing. Ideal for Salmon trolling in B.C., and unexcelled for wire line and musky trolling. German silver ferrules and reel seat of especially strong construction. Everlasting whipcord grip above and below reel. Agate top and rear guide, double trumpet line guides on tip. Length 6 ft. Contained in cloth partition bag.

No. 4625 Each **\$12.00**

Wood Trolling Rods



Heavy wood rod, suitable for all kinds of trolling with either linen, silk or wire line. All hardwood butt and Greenhart tip, finished a dark green and mounted with large genuine porcelain offset guides and top. Heavy universal reel fittings, accommodating any size of reel. Length, six feet. In cloth bag.

No. 4632 \$4.00

Split Cane Bait Rod




No. 4661—Superior quality split cane bait rod, length 9½ feet, 3 joints with extra tip, nickel-plated ferrules and reel seat above hand, snake rings, cork handle; whipped 5½ inches apart with green silk, finished natural color and varnished. Contained in plain wood form in bag.

..... Each \$4.25

No. 4662—Same rod exactly as No. 4661, but has one tip only; in cloth partition bag without wood form.

..... Each \$3.50



4670

We designed this rod especially for the Canadian angler who requires a first-rate bait and baitcasting rod in one. Split cane, of highest quality and action throughout, it provides a stout, 9-foot bait rod weighing about 5½ ozs., and a powerful 6-foot baitcasting rod. Agate rear and end tip on bait rod; snake intermediate, all agates on baitcasting rod. Solid cork handle, gunmetal trimmings. In cloth bag and aluminum tube.

No. 4670..... Each \$25.00

A. L. & W. "Gem" Combination Rod

Four joints in finest quality Split Cane and detachable reversible handle. Equipped with Perfection casting guides on baitcasting rod and snakes on fly rod. Makes up into the following rods, all of which are of strictly tip-top action:

81/2-ft. Fly or Bait Rod, about 5 ozs.

7-ft. Fly Rod, about 31/2 ozs.

5-ft. Baitcasting Rod.

As its name implies, it is a "Gem."

No. 4887 Each \$15.00

Maroon Special Bait Rod



Special quality Split Cane Bait Rod, length 9½ feet, three joints with extra tip, nickel-plated ferrules, solid metal reel seat, nickel-plated steel snake ring guides, cork handle, below reel seat. Beautifully whipped with maroon silk, double and single whips alternately about 1 inch apart. Highly finished natural cane color, 5 coats of our special all-weather varnish. This is a very powerful bait rod with good action and hard-wearing qualities, contained in varnished and finished wood form in cloth bag.

No. 4672 Each \$9.00

A. L. & W. Split Cane Baitcasting Rods



Best quality Split Cane Baitcasting Rod; two joints 5 ft. long; nickel-plated ferrules and solid reel seat. Spiral upright casting guides; one-ring stirrup casting top; cork handle, finger hook on reel seat. Fancy red silk whippings 4" apart on butt, graduating to $2\frac{1}{2}$ " apart on tip. A reliable, serviceable rod.

A. L. & W. Split Cane Baitcasting Rods



Best quality Split Cane Baitcasting Rod, two joints, 5 feet long, nickel-plated ferrules, reel seat, double cork handle. Offset Agatine casting guide and top. Contained in cloth bag. A reliable rod of splendid action and highly recommended.

No. 4703..... Each \$5.00

A. L. & W. Kawartha Model Split Cane Baitcasting Rod



Finest quality Split Bamboo. Two joints; length 4½ ft., butt being 18 ins. and tip 36 ins. Reinforced welted ferrules nickel-plated; solid nickel-plated reel seat with locking reel band, detachable finger hook, cork grip; improved one-ring casting guides and best quality crystal agate offset top. Put up in partition bag. A very serviceable rod; has just the right feel and action for casting light plugs. Handsomely whipped, 1" to 2" apart, in red and green silk.

No. 4708 Each \$5.00

A. L. & W. Penage Model Split Cane Baitcasting Rod



Made from choice quality Split Cane, 4½ ft. long. Reinforced welted ferrules and solid reel seat with detachable finger hook, all heavily nickel-plated; solid cork grips above and below reel; best quality crystal agate casting guides and offset top. Fancy red silk whippings, 1 inch apart, entire length of rod. Contained in cloth partition bag. This rod is named after the wonderful Lake Penage, where it made quite a name for itself last year, landing a 7-pounder and a 6-pounder within half an hourcertainly a severe strain on a light rod.

No. 4709 Each \$7.50

A. L. & W. Lancewood Baitcasting Rod



Beautiful natural color genuine Lancewood Baitcasting Rod, two joints, 4½ ft. long. Nickel-plated ferrules and solid nickel-plated reel seat; cork handle with finger hook; mounted with improved one-ring casting guides, singlering stirrup casting top. Fancy whipped with red and green. A very good-looking rod, with the action that only lancewood can give.

No. 4706 Each \$2.50

A. L. & W. Expert Split Bamboo Baitcasting Rod



This rod is designed by us for the expert caster, who demands the best in action and quality that can be produced. Built from matched Calcutta canes, carefully split and glued. Its action is stiff enough to cast baits up to % or even 1 oz. with ease and accuracy, but flexible enough to get the "feel" casting even lighter baits. Very powerful. Fitted with heavy ferrules of special design, solid reel seat, locking reel band and finger hook, all heavily nickel-plated. Double cork grip shaped to hand. Genuine white English agate casting guides and tops of special design. Length, 5 and 5½ feet. Cloth partition bag. A rod we recommend and guarantee. Two tips.

No. 4720 Each \$17.50

A. L. & W. "Northland" Model



A sturdy rod of splendid action with lots of backbone, designed and built by Canadians for Canadian conditions.

An accurate caster and powerful enough to kill large fish. Built throughout in our own factory from selected Tonkin canes, reinforced welted ferrules, solid reel seat, all metal fittings heavily nickel-plated, double cork grip of solid rings, beautifully finished and fancy whipped in black and straw color. Crystal agate offset casting guides and top. Cloth partition bag. Length, 5 and 5½ feet. Two tips.

No. 4715 Each \$12.00


A. L. & W. "Rideau" Baitcasting Rod



Hand-made from finest possible selection of split bamboo; solid cork grip of special design, nickei-silver eccentric locking reel band, nickei-silver roll welted ferrules, genuine agate top and guides; closely wrapped with beautiful design of silk windings, dark brown color cane. Put up in good partition bag. We highly recommend this rod for its action and reliability.

No. 4721 Each **\$15.00**


Heddon Split Bamboo 2-Piece Casting Rod



Two-piece with 35" tip. Finest selection of dark brown "tempered" cane, patent screw reel seat. Double cork grip, genuine agate guides and top, reinforced ferrules. Contained in cloth bag. Length, 5, 5½ feet. Weight, about 5% ozs.

No. 4723 Each \$12.00

A. L. & W. "Connaught" Baitcasting Rod



This rod represents our supreme effort in the rod-making art. Its action, balance, power and the quality of materials and beauty of finish command constant admiration. It is made of extra hard Tonkin cane, six-strip construction. Each section of the rod is built up from the same piece of cane, which produces uniform strength and resiliency, resulting in that delicate sensitiveness that cannot be had by any other form of construction. Through a special process, the bamboo in this rod becomes a rich dark brown, bordering on mahogany, which, with the gold and maroon whipping, makes a handsome combination, stamping it at once as a rod of distinction. It is light, powerful and has a wonderful feel and balance. Fitted with beautiful agate guides throughout; hand-made, reinforced ferrule of distinctive design; solid cork grip shaped to hand and small forward grasp. Black Pyralin reel seat with patent screw, lock reel band. Length, 5 ft. and 51/2 ft. Put up in partition bag and aluminum case.

No. 4722 Each \$20.00


Hardy "St. Joe" Rod

"The Aristocrat of All Baitcasting Rods"

A strong Baitcasting Rod in two pieces. Length, 5 ft. Suction ferrules, agate casting guides throughout. Smart handle, embodying Hardy patent. Screw winch reel holder, giving absolutely secure hold of reel, which is most important in baitcasting. In cloth bag and aluminum case. Two tip points.

No. 4725 Each \$50.00

A. L. & W. Split Bamboo Pocket Rod



A very fine quality split bamboo pocket or club bag rod. Six joints, each 16" long only. It is a very versatile rod, which can be put to many uses, and is not fully appreciated. It has a detachable reversible handle, 5 intermediate joints and fly tip, making up into a 7½-ft. fly rod of fine balance and light weight, and a bait tip which fits into third joint from handle, making up an admirable and sturdy bait rod of 6½ feet. Nickel-plated solid reel seat, ferrules and snake rings; cork grip. All contained in good cloth partition bag.

No. 4785 Each \$12.00

A. L. & W. British Greenheart Fly Rod

A full ten-foot Greenheart Rod, capable of great distance and accuracy, with extraordinary power and fine action. It has 3 joints and extra tip. Full English style handle of solid cork washers, built right on to butt joint, about 15" over all. English bronze reel fittings on the solid cork, forming a universal reel seat on which reel cannot slip. Fitted with our patent full-hooded waterproof suction ferrules, finished English bronze to match mountings, and steel snake rings. Wound with fancy green and red silk whippings, about 2" apart. Altogether a very handsome rod, which will give valiant service and quite deserving of the popularity it has won. Contained in cloth partition bag.

A. L. & W. "5 oz." Greenheart Fly Rod

A. L. & W. "Montreal" Greenheart Fly Rod



This is one of the most popular rods we make. Designed by one of the most noted anglers of Montreal. Perfectly balanced, with superb action for wet fly; 9 ft. in length and 6 ozs. in weight, it is considered ideal by many of our best fly fishermen. Has 3 joints and extra tip. Combination tip case and landing handle of bamboo finely finished. English style universal reel seat, gunmetal finish, bronze reel fittings, on mahogany finished wood reel seat, whipcord handle, steel snake line guides, wound with red silk whippings, beautifully finished. Built throughout by hand in our own workshop. Contained in heavy cloth partition bag of good khaki color.

No. 4850 Each \$10.00

A. L. & W. "Flipline" Rod

No. 4825—Superior quality Greenheart Rod, perfectly

No. 4825—Superior quality Greenheart Rod, perfectly balanced, cork handle above reel seat, solid nickel-plated reel seat, ferrules and mountings. Nickel snake rings. Fancy red silk whippings, 3" apart; 9½ ft. long. Contained in cloth partition bag. Has extra tip.

..... Each \$4.75

B.C. Special Greenheart Fly Rods

No. 4820—Superior quality Greenheart Fly Rod; 3 joints; solid reel seat below hand and ferrules all polished nickelplate. Black scored grip, snake rings, red silk whippings

at rings and ferrules; 9 ft. 6 in. long. Contained in cloth partition bag. A serviceable fly rod at a moderate price.

Each \$3.00

No. 4821—As above, with 2 Tips Each \$4.00

A. L. & W. Split Bamboo Fly Rods For Trout and Bass

Three Joint Split Bamboo Fly Rod of superior quality.

Length 9½ ft. Ferrules, solid reel seat, taper and hooded butt cap, all highly polished nickel-plate. Nickel snake guides throughout, finished natural color; well varnished; wound at intervals of 3" with green silk whippings. Contained in partitioned cloth bag. Weight 6½ oz.

No. 4875 Each \$3.00

A. L. & W. Split Bamboo Fly Rod in Wood Form

A	
4	

This is exactly similar quality of rod, same specifications, etc., as No. 4875 above, but has extra tip, and is contained in plain protecting wood form, stained, in cloth bag. Weight 6 oz.

No. 4876 Each \$4.00

A. L. & W. "Eclipse" Model Split Bamboo Fly Rod

Λ
4880

Fine quality Split Banboo Fly Rod of good weight, for trout or bass. Three joints and extra top. Solid reel seat; cork grip, heavy ferrules and snake guides all nickel-plated. Finished natural cane, fancy whipped with red and green silk whippings, 3" apart. A powerful rod with good action. Contained in cloth lined wood form for protection in cloth bag. Length 9½ ft. Weight 7 oz.

No. 4880 Each \$5.00

A. L. & W. Tackle Repair Service

A. L. & W. does not limit its service to selling dependable merchandise, but is also equipped to care for the wear and tear and mishaps which may occur to your tackle.

All repairs are handled by men of expert ability and extended experience.

A large stock of repair parts permit us to take care of all current replacements in a minimum of time.

THE BLAKE'S ROD'S STORY


The late W. H. Blake, Esq., a member of the Blake family prominent in the political history of Canada, may be said to be the finest angler Canada has yet produced.

He wrote two very beautiful books on angling, "Brown Waters," and "In a Fishing Country," the former being truly

described as the classic of angling in Canada.

Mr. Blake was one of the Allcock, Laight & Westwood's most distinguished customers. In return for what this firm was ever able to do for him, he rendered Allcock, Laight & Westwood invaluable assistance in developing Canadian tackle out of his very vast experience of fishing both in Canada and England.

Dissatisfied with the rods that were suitable for fly fishing in other waters, Mr. Blake gave to us the specifications of a rod which would, in his opinion, be the ideal rod for fly fishing for trout in Canada. He wanted a rod that was light, yet powerful enough to throw the somewhat larger flies and stouter gut leaders which the streams and lakes of Canada demand. In co-operation with our rod makers—we are the only manufacturers of high grade split cane rods in Canada—he worked out the specifications of taper, balance and winding to the last degree of efficiency. And the Blake rod—still recommended by us as the finest we can offer—is the result.



A rod of delicate action, yet powerful and accurate. Capable of great distance and has killed fish all the way up to a 15-lb. salmon. It is hand built from the very finest split cane. Six-section construction, very carefully selected and matched. The tough outer fibres of the cane are preserved, not scraped off, as they provide the real staying power and come-back to the rod. Length 9 ft. 3 joints and extra tip, solid cork handle, universal reel seat to securely accommodate any reel, bronzed reel bands, bronzed suction watertight reinforced ferrules. Standard nickel steel bridge rings throughout, or with agate rear guide and top. Whipped closely with maroon silk and finished with the very highest grade of varnish and polished to a perfect waterproof surface. Weight about 5 oz. Contained in heavy cloth partitioned bag in aluminum and leather case. Made in our own factory, under personal supervision after the specifications of the late W. H. Blake. Suitable for wet or dry fly. Fully guaranteed. Also supplied in bait with reel above hand.

No. 4900—Bridge Rings	Each	\$25.00
No. 4901—With Agates	Each	\$30.00

A. L. & W. Ideal Fly Rod

Split Bamboo-Hand Made

A. L. & W. "Laurentian" Model Fly Rod

Three Pieces and Extra Tip

4895



Of Powerful Action and Perfectly Balanced.

This rod is entirely hand made throughout of the finest China Tonkin cane. Six strip construction, carefully split and glued. Strips are well matched for strength, and joints carefully tried out to secure uniformity of action in all joints of each rod. It is built on English lines from the design and dimensions of one of the greatest English fly casters of this generation. The natural enamel of the bamboo is retained, not scraped off, ensuring maximum strength with resiliency. Fitted with extra strong hand welted, waterproof suction ferrule, gunmetal finish. Cork grasp. Ebonite reel seat, with gunmetal finish, feel fittings, gunmetal finish winding taper and butt cap with fancy wooden button. Rod is highly finished; fine maroon silk whipping every inch. Six coats of our finest waterproof varnish. Contained in heavy cloth partitioned bag. No. 4895—Supplied in following lengths:-

9	ftWeight	6 oz	Each	\$15.00
$9\frac{1}{2}$	ft.—Weight	6½ oz	Each	15.00
10	ft.—Weight	7 oz	Each	15.00
11	ft.—Weight	7½ oz	Each	18.00

We offer no split bamboo rod at any price that will give you as much value, dollar for dollar, as an investment in our Laurentian Model. It is a \$10.00 rod, which we alone make in popular length and weight. The material is selected split bamboo, and the rods are built up of six parts in a most careful manner, so that we can guarantee them not to show defects in workmanship. We have sold thousands of these rods. To anyone taking up dry fly fishing for the first time who does not want to rurchase an expensive outfit we recommend a Laurentian as the most efficient rod that the money can produce. The rod is mounted throughout with heavy nickel-plated ferrules, solid metal reel seat, English steel snake rings. Cork grasp. Handsomely whipped in English style maroon whips every inch, and beautifully finished dark natural cane color, 91/2 ft. Weight 6 oz. Contained in cloth covered wood protector in cloth bag.

No. 4885		Each	\$10.00
----------	--	------	---------

A. 1	L. &	W. R	ainbow	Trout	Split	Bamboo	
			Fly F	lods			
out the trees of	Santa Caracter Land						
0.00					***		
			Q			10 mm	
0	III LANGONIA	at &	f•	(1)			

Built of the best cane that grows, plus expert workmanship. Six strip construction, swelled at butt for extra strength and power. Capable of great distance with accuracy and first rate killing ability. Fitted with extra strong reinforced ferrules. Solid metal reel seat, nickel snake rings and solid cork handle. Fancy whipped with variegated red and black silk in groups of 3 narrow whips and one broad one at intervals of 1%. Extra fancy whipped at butt. 9% ft.; weight 6% oz. Contained in lined wood protector in cloth bag. This rod represents great value, great service, and warranted to give satisfaction.

No. 4890 Each \$12.00

A. L. & W. "Beaver River" Model



Three Joints and Extra Tip in Cloth Bag. Made from best quality Canes and built to carefully designed dimensions. Very powerful with lots of snap and action. Nickel Plated Ferrules and reel seat, cork grasp, Agatine End Tip and Rear Butt Guide, Steel Snake intermediate rings. Beautifully bound with maroon silk whippings 1" apart and fancy red silk whippings at Butt. An extremely handsome and serviceable rod and one we recommend to those who desire a good sound rod at a moderate price. Length 9½ ft. Weight 5% ozs.

No. 4883 Each **\$8.50**


A. L. & W. St. Lawrence Model Split Bamboo Fly Rod

→ S5:2

A very fine quality of Split Bamboo Fly Rod, hand made in our own workshop of excellent workmanship and finish throughout. Three joints and extra tip. Cork grip, solid reel seat and heavy ferrules, polished nickel-plate. Nickel snake rings, single ring fly top. Well balanced, perfectly tapered and splendid action. This rod is beautifully whipped with fancy maroon colored silk, closely set at butt and at intervals of about 1½" throughout the rest of rod. Extra fancy whippings at rings and ferrules. Beautifully finished with 4 coats of our special all-weather varnish, natural color. Powerful, flexible. Length 9½ ft. Weight 6 ounces.

No. 4882 Each \$7.00

Hardy Bros.' "De Luxe" Palakona Split Cane Fly Rods



These rods are manufactured by the world's angling specialists. They are made singly, by hand, and every rod in each state of development during its manufacture goes through the most critical examination by experts. No ordinary bamboo can be compared with the "Palakona" bamboo, of which these rods are made. No rod-making material is harder, tougher or more springy. Weight for weight, it is superior to steel of equal area. Hence, the success of these rods in all European casting tournaments. This is the latest design in trout fly rods, and embodies all that is useful and practical. Most carefully balanced to fish either dry or wet fly, with great precision and delicacy, yet strong enough to kill either large trout or small salmon. The handle is cork, fitted with patent screw grip fitting, so that no part of the metal can touch the hand. The joints are "Suction" perfectly fitted. "Bridge" intermediate rings, with agate butt and tip.

 Weights, about
 ...
 5 to 5½ oz.
 5¼ to 6 ozs.

 Lengths
 ...
 9 ft.
 9½ ft.

 No. 4955—In Aluminum Case
 ...
 Each \$60.00

Hardy Bros.' "Gold Medal" Grade Palakona Fly Rod

Similar specification to above, but in cloth lined bag only and slightly heavier in design, 9 and 9½ ft.

No. 4954 Each \$50.00

Hardy Bros.' "Gold Medal" Grade

Fly Rod with Steel Centre.

This is Hardy's Famous Palakona Split Cane Rod, same specifications as above but built with steel centre for heavy work, in 9, 9½ and 10 ft. Slightly heavier for length than the De Luxe.

No. 4953 Each \$55.00

A. L. & W. Combination Rod

For Fly, Bait, Bait-casting and Trolling. Split Bamboo.

This makes a three-piece 9½-foot fly rod, weighing 6¾ ounces, or a 6-foot two-piece rod, weighing 6 ounces, for bait-casting or trolling. Made of split bamboo, with a reversible cork grip. Nickel mountings, solid metal reel seat and snake guides, wound with silk and well varnished. Butt joint is fitted with one improved one ring casting guide. A bait-casting or trolling tip which fits into butt joint is fitted with the same, and a casting top to match. An excellent all purpose rod for boat or canoe. Contained in cloth partition bag.


No. 4888 Each \$13.50

Montague "Trail" Fly Rod

For over 40 years Montague Rods have been classed among the world's finest. The Trail is a fine example of their product. Finest quality Split Cane in three pieces with extra Tip. Agate Tips and Rear Guide, Snake Intermediate, Reel Seat and Ferrules of German Silver in special artistic design. Solid cork shaped grip, Dark nut brown cane, Gold and Scarlet Silk Whippings. Length 9 ft. Weight 5½ oz. Contained in cloth bag and aluminum tube. A really beautiful Rod of perfect balance and action, suitable for dry of wet fly.

No. 4902 Each \$25.00

A. L. & W. "English" Fly Rod



Made in England, of six strip construction. Finest quality canes of extra tough texture. A typical English Rod, with a quick, powerful action, suiting it admirably for Dry Fly work as well as Wet Fly. Three joints and extra tip. Cane dark brown color. Bronzed suction ferrules and reel fittings. Snake guides, cork handle, universal reel seat, in cloth partition bag. Length 8½" and 9". Weight $5\frac{1}{2}$ to $6\frac{1}{2}$ ozs. A Rod we thoroughly recommend.

No. 4939 Each \$15.00

A. L. & W. "Scotch" Model Greenheart Salmon Rods



Guaranteed genuine Greenheart of first quality, straight grained throughout. Solid Greenheart butt joint, handle and reel seat being formed from the solid Greenheart; centre joint and tip. Fitted with extra heavy ferrules, winch fittings and fancy wooden butt button, steel snake rings and end tip. Well balanced, fine action, thoroughly reliable. Contained in partition cloth bag. This is the best value in salmon rods obtainable.

No. 5005—Length 12 ft. 2 tips ... Each \$10.00
Length 13 ft. 2 tips ... Each 12.00
Length 14 ft. 2 tips ... Each 15.00

Make Your Headquarters Here

When passing through Toronto make yourselves at home in our store; send your outfits in our care. We keep well posted as to the hunting and fishing throughout the country, and we are happy to supply such information as we have, or will obtain special information when desired.

Wee Scot Salmon Rod

A fine, eleven foot rod weighing 91/2 to 10 ounces, made specially for salmon fishing with light tackle in the Canadian streams. A beautifully balanced rod, with plenty of action. Agate butt and end rings, steel snake rings, welted and serrated nickel ferrules, with two tops, maroon whipped at 2 inch intervals, fancy whipped at butt, put up in cloth partition bag.

No. 5030 Each \$20.00

Hardy Bros.' "Gold Medal" Palakona Split Cane Salmon Rod



This is a stout double-handed rod with plenty of power, wonderful action and light weight. Hand built of the famous Palakona split bamboo, in 3 joints, with extra tip. Double cork handle, "Studlock" joints. "Bridge" intermediate, with agate butt and end rings. Screw grip reel fitting; India rubber button. Length 12 and 13 feet. Weight about 15 to 18 oz., according to length. Contained in cloth partition bag.

No. 5037 Each \$65.00

A. L. & W. "Restigouche" Split Cane Salmon Rod

Built from selected stock of the very highest grade seasoned Tonkin Cane, six strip construction, each joint built up of pieces split from the same piece of cane, ensuring uniform resiliency and tension. Tapered to the dimensions and design of one of our most eminent Salmon Fishermen. Perfectly balanced, just the right degree of flexibility, with great power, enables a long or short cast to be made with great accuracy. Made in three joints with extra tip. Agate Tops and Rear Guide, Steel Snake Intermediate, strong reinformed German Silver Ferrules, Solid Locking Reel Seat, and Solid Cork Double Grip. A rod we guarantee to give perfect and complete satisfaction under all conditions. Length 121/2 ft., weight about 18 ozs., contained in cloth partition bag. No. 5032 Each \$40.00

Keeping in Form

There is a class among anglers who stuff their tackle away at the close of the season, damp, tangled, gritty with sand, higgledy-piggledy. They miss half the fun. Send your rods to us for overhaul, your reels for reconditioning. We have in our factory a splendid repair service which for years has been keeping the fine rods, reels and other gear of Canada's leading sportsmen in condition as good as the day the tackle was bought from our shop.

"Radio" Dry Fly Salmon Rod



This rod is perfect for style of angling for which it is made, and while exceedingly light for the larger Salmon, in the hands of an experienced angler and fairly used will do great execution. The short Auxiliary bottom hand grasp is made removable, so that rod can be used single or double handle as desired. Built of highest grade Split Tonkin Cane, dark brown color, handsomely bound with golden rod and grey. Agate Top and Rear Guide. Steel Snake Intermediate Guides. German Silver hand welted serrated ferrules and patent eccentric locking reel band. Three joints and extra tip contained in cloth bag and aluminum case. Length 10 and 10½ ft., weight 8½ oz. to 9½ oz.

No. 5033 Each \$40.00

Hardy Dry Fly Salmon Rod

Specifications	exactly	similar	to above	 Each	\$70.00
3%" St. John	Reel			 Each	18.50
No. 4 Double	Taper I	ine		 Each	12.00
The Outfit				 9	5100.00

TIP JOINTS FOR SPLIT CANE FLY ROD.

Superior quality Split Cane, finished natural color. Green whippings about 2½" apart, Snake Guides, No. 00 Ferrule. 11/64". Can only be supplied from stock as specified. No. 5075 Each \$1.00

NOTE.—Tips made to order for any style of Split Cane, Greenheart or Lancewood Rod, at reasonable prices.

The Care of Rods

It is important after a day's fishing that the rod should be taken to pieces, carefully cleaned and placed with its case; not left oustide against a wall or tree (as is generally done in every camp), for the damp atmosphere and rain to act upon its timber and ferrules. A rod carefully used will last a lifetime, whereas, if its owner is careless, it will get out of condition, become warped, and eventually lose its suppleness and power. As a last word of advice, never put a rod in a damp bag.

Putting Rods Away For the Winter

After the season's fishing is over, look over your rods. If the ferrules need to be tightened, wood needs varnishing, etc., do it or send them to us at once, and next spring your rods will be ready. Put your rods in a room where there is no heat (steam heated rooms will loosen all the ferrules), and hang up the joints separately by short pieces of wire or strings, which have been tied to the smaller ends of the joints

Unmounted Split Bamboo Sticks For Rod Making

For 3-piece Fly Rods.

Highest quality glued Sticks each 3 ft. long, suitable for making 9 ft. Fly Rods of medium weight. Full Length, Butt Joints, Centre Joints or Tips Each \$1.75 Set of German Silver Ferrules for above, hand welted and serrated, consisting of two double ferrules with extra centre for spare Tip.

No. 5162 Per Set **\$4.00**

Unmounted, Glued Bamboo Tapered Sticks For 2-piece Bait-casting Rods.


Suitable for 5 and 5½ ft. Casting Rods.	Each	61 50
Butts and Tips	ve.	\$1.50
No. 5163 Per		
Extra Centre		50

Cork Washers and Sheets

For Rod Handles.

No.	5140—1¼"x¾".	Hole %"	 Each	.10
No.	5141—1 "x¾".	Hole %"	 Each	.10
No.	5145-Sheets 4"2	8"x3/32"	 Each	.75

Nickel Plated Shoulder Ferruels. No. 5161



Drice

Supplied in the following sizes:

		Size			P	rice
No.		Inches			\mathbf{Per}	Pair
000	9/64	Inside	Diam.	 		30
00	11/64	"		 		30
01/2	12/64	44		 		30
0 -	14/64	44		 		30
1	15/64	"		 		30
11/2	16/64	"		 		35
2	17/64	"		 		35
21/2	19/64	"		 		35
3	11/32	44				35
4	12/32	"				40
5	27/64	**			_	40
6	15/32	"				40
7	16/32	**				4 5
8	35/64	44		 		5 0
9	19/32	**		 		50 50
10	$\frac{13}{32}$	"		 		50 50
10	20/32			 • • • •	•	30

Solid Reel Seats

Fly



Bait




Supplied in ¾" diameter only.

No. 5165—Heavy brass reel seat Each \$.50

No. 5166—Bronze or nickel plated Each 1.00

Winch Fittings or Reel Bands



No. 5170—Brass, %" and %" diameter Per set .25
No. 5171—Bronze or nickel Per set .40



Rod Winding Silk

Very fine, pure silk, specially prepared for winding and whipping rods. Colors, gold, scarlet, black and green. 40 yards on spool.

No. 5150 Each .20

Rod Varnish

Very highest quality varnish obtainable. Is waterproof, heat resisting and gives a very hard high finish.

No. 5152 Per bottle .35




Ferrule Cement

Our own private formula, used successfully for many years. Nothing to equal it for strength and the ease with which it is used. Clings to wood or metal.

No. 5151. Each .25



Bronzed Steel Snake Rings



No. 5206—Eleven of these snake rings, assorted sizes, and one steel end ring on card Per card .25

Standard Nickel Steel Bridge Rings



These are the very highest quality intermediate rod rings, such as are used on the most expensive rods of English make. The best possible type of ring for fly rods. Line runs smoothly and cannot become tangled.

No. 5208—Sizes 2 to 5 Each .10

Butt Caps





Plain



No. 5185—Brass, ¾" diameter only Each .15
No. 5186—Bronze or nickel, ¾" diameter only. Each .30


Winding Checks or Tapers

No. 5181 -Bronze or nickel Each .20

No. 5180/2-Tapers. Brass .. Each .10



Spiral or Upright Casting Rings



A very fine type of offset ring for bait-casting rods at a reasonable price. White metal.

No. 5210—All sizes Doz .25


Genuine Agate Guides



No. 5225—Very highest quality genuine white agates. Mounted in German Silver mounts of the finest quality and workmanship. Made in England especially for us, and positively the finest that can be procured. Broad mounts which fully protect the stone are highly polished to a perfectly smooth surface. Actual sizes illustrated.

Each \$1.00


Crystal Agate Casting Guides



These crystals are almost as tough as genuine agates, and will stand a lot of hard use. They are moulded in a wide band, so that setting is well protected. The holes are large and smooth. Illustration shows exact sizes, 6, 7, 8, 9.


No. 5222 Each .40

Nickel Silver Trumpet Guides



No. 5215—All Sizes Each .25

Improved One Ring Casting Guides



These guides are made of nickel silver; have large holes for the line to pass through. A very free running casting guide, surpassed only by the agate guide of similar shape at much higher price.

No. 5218—All Sizes Each .20

Genuine White Agate Guarded Casting Top

These tops are specially made for us in England. Genuine pure white agate settings, broad nickel silver mounts with side guards to prevent line tangling round the offset top. Supplied in 3 sizes or tube, 4, $4\frac{1}{2}$ and 5/32".

No. 5280 Each \$1.25





Genuine Agate Fly Top

No. 5289—An unique and efficient design of genuine agate fly top. A combination tube and tie on style. Fits as snugly as the ordinary tube, and has the added security of the tie on feature. Highest quality genuine white English agates, nickel silver mounts, beautifully made and finished. Illustration actual size.

Each \$1.00

Guarded Agatine Casting Top

Special guarded casting top. An extra heavy crystal agate, mounted in wide nickel silver band. Sizes 4, 4½/32 tubes.





Crystal Agate Offset Casting Top



A very popular style of crystal Agate bait-casting top. Mounted on broad nickel silver band, fully protected setting. Supplied in 4 sizes of tube, $3\frac{1}{2}$, 4, $4\frac{1}{2}$ and 5/32nd of inch.

No. 5273 Each .50




Nickel Silver Three Ring Ends

No. 5260-All Sizes . Each .15

Perfection Tungsten Steel Guides and Tops







Casting Guide

Casting Tops

Fly Tops

These mounts are made of Tungsten steel, the hardest metal known. Are claimed to be harder than agates and indestructible.


No. 5296—Fly tops, $4/64''$ to $9/64''$	Each \$1.00
No. 5230—Casting guides, sizes 1 to 5	Each 1.25
No. 5295— Casting tops, $\frac{1}{8}$ " and $\frac{9}{64}$ "	Each 1.25



Funnel or Solid Tube Tops


A solid brass top with funnel shaped ring. Very strong and reliable. Free running. Illustration actual sizes, 1, 2, 3 and 4.

No. 5250 Each .10



Tube Sizes 4, 4½ and 5-32". No. 5263—All sizes Each .25






Frog Spears



Points of finest steel, malleable iron shank, eyed socket. Enamelled black.

No. 5314-4 Prong Each .35

Steel Fish Spears



Spears, hand forged steel, malleable iron shank, extra strong. Eyed socket, enamelled black.

 No. 5307—5" Tines
 Each \$1.25


 No. 5306—4" Tines
 Each .80



Spears, hand forged steel, carefully tempered, malleable iron shank, eyed socket. 3 prongs, length of tine 21/4". Enamelled black.

No. 5305 Each .75

Genuine English Hand Forged Steel Spears



Finished black. The genuine article, which has been off the market for several years.

No. 5300)— 3	Prong,	4¾"	Tines	 Each	\$1.50
	4	Prong,	51/2"	Tines	 Each	1.75
	5	Prong.	53/4"	Tines	 Each	2.00

Split Shot Sinkers



Put up in telescope wood barrel, each shot perfectly and properly split.

 No. 5330—Contains 24 BB Shot in barrel, full measure
 Each
 .05


 No. 5331—Contains half-dozen Buck Shot in barrel
 Each
 .05

Good Luck Fish Scraper



Galvanized iron, light and compact. It does the work and does it well.

No. 5500 Each .20



AND THE PROPERTY OF THE PERSON NAMED AND THE PERSON

This catalogue, and the extensive advertising done by us throughout the year covering the goods listed herein, are not designed to create direct buying relations between ourselves and the consumer.

Allcock, Laight and Westwood are manufacturers and distributors of the highest quality fishing tackle, guns, camp equipment and accessories.

Hundreds of dealers throughout the Dominion of Canada stock all our listed goods. We hope, by broadcasting this catalogue and advertising A. L. & W. and "Beaver Brand" tackle, to promote the interest of our dealers and to sell our goods.

See the Goods You Buy

Encourage your local dealer to carry the fullest and best line of sporting goods.

Ask your dealer to get for you the things you wish out of this catalogue.

If that is impossible, then write, wire or telephone us and if we can direct you to no dealers where you may inspect the goods we shall, of course, be delighted to serve you. Such orders must be accompanied by cash or money order. DO NOT SEND POSTAGE STAMPS FOR AMOUNTS EXCEEDING 50c.

It is obvious, however, that as manufacturers and distributors we are most desirous of having the whole of Canada served by as well-equipped a chain of local dealers as possible.

All Prices in this Catalogue are strictly net retail prices.

The ALLCOCK, LAIGHT & WESTWOOD Company, Limited

ESTABLISHED THREE-QUARTERS OF A CENTURY

230 BAY STREET, TORONTO 2 ONTARIO - CANADA TELEPHONE EL. 4237

AMOGRAHICADIODOODOODOO

