


L. L. L.




40TH
CATALOG

**ALLCOCK LAIGHT &
WESTWOOD COMPANY
LIMITED**

230 BAY ST. TORONTO
TELEPHONE EL. 4237
OPPOSITE EVENING TELEGRAM



TACKLE for FALL TROLLING




COMBINATION ROD AND REEL FOR DEEP LAKE, AND COPPER WIRE TROLLING

35½" long, jointed; 19¼", unjointed. Heavy duty tip; screw connecting ferule; heavy action reel, 5½" in diameter, with two handles. Heavy butt on handle can be used with both hands. Leather brake on spring drag. Finished all polished nickel plate. 2¼ lbs.


No. 4268 Each **\$5.50**

A. L. & W. SOLID STEEL TROLLING RODS



No. 4282—Length 5 ft. Each **\$6.00**


WOOD TROLLING ROD



Heavy wood rod, suitable for all kinds of trolling with either linen, silk or wire line. All hardwood butt and Greenheart tip, finished a dark green and mounted with large genuine porcelain offset guides and top. Heavy universal reel fittings, accommodating any size of reel. Length, six feet. In cloth bag.

No. 4632 Each **\$4.00**


WOOD TROLLING REELS



It is made of solid mahogany, beautifully finished, brass bound throughout, so that it cannot be affected by climatic conditions. Of center pin construction, it is very easy running. Tool steel pinion, heat treated and hardened, run in by hand on hard brass bearing. Patent line guard. Steel gear and pawl. Very heavy click spring. Substantial handle of polished hardwood. Click optional.

Size	No. 3995	Each
3½"—Capacity, 100 yards copper wire		\$6.00
4"—Capacity, 150 yards copper wire		6.50
4½"—Capacity, 200 yards copper wire		7.00
5"—Capacity, 300 yards copper wire		8.00
5½"—Capacity, 500 yards copper wire		9.00

A. L. & W. AMATEUR REEL



Substantial, correctly designed reel for wire line trolling, at a low price. Satin finish. Width of spool 1", diameter, about 5"; capacity, 250 yds. 23 gauge copper wire.

No. 3990 **\$2.00**

No. 3991—Extra large, 5½" diameter **\$2.25**

No. 3993—Upright style **3.50**

WIRE FOR DEEP LAKE TROLLING



A. L. & W. Hercules Braided

Phosphor bronze wire line. 16 strand solid braid, 40 lb. test, 50 yds. on spool, two connected.

No. 3005—50 yds. **\$1.60**

No. 3006—100 yds. **3.00**

A. L. & W. Twisted Phosphor Bronze Wire

7 strands, solid twist. Very pliable, will not kink. Test 30 lb.

No. 3012—100 yds. **\$2.50**

No. 3017—50 yds. **1.35**

A. L. & W. "Nonco" Trolling Wire

Plain white metal, non-corrosive, stronger and tougher than copper, just as pliable.

No. 3035 Per 100 yds. **\$1.50**

A. L. & W. Plain Copper Wire

	Per 500 ft.	Per 300 ft.
20 gauge	\$1.25	.85
22 gauge95	.60
23 gauge85	.50



The Home of
A. L. & W.

230 BAY STREET - TORONTO

(Opposite Evening Telegram)